

Millenium

Thanks to a combined system, the switches of the Millenium series provide a comprehensive range of solutions for single rooms or whole building concepts. The square and ultra slim switches do not only add quality and style to the overall building, but are also easy to install.



01



02


NEW



05



03



04

NEW



06



07



08



09



10

- 01 Stainless Steel
- 02 Silk Black *
- 03 Antique Gold
- 04 Matt Gold
- 05 White Glass **
- 06 Black Glass **
- 07 Stainless Steel and Silk Black
- 08 Silk Black and Stainless Steel
- 09 Antique Gold and Silk Black
- 10 Matt Gold and Silk Black

* Silk Black not suitable to installation outdoors
 ** Cover frame made of real glass



Modern and contemporary 4 finishes made in real stainless steel material AISI 304 and 2 finishes made in glass to complete the elegant finishes of Millenium: Stainless Steel, Silk Black, Antique Gold, and Matt Gold, White Glass and Black Glass.

Designed by the famous European designer Josep LLuscá.



Slim line design, only 4 mm high with straight and square lines at the forefront. Rocker with attractive chrome profile that gives a distinctive glance.

Range with wide rocker and metal finish. Screwless front plate ultra slim design.



Zenit

The highlight of modular series

Zenit is the most comprehensive modular range for all kind of homes and commercial buildings. A number of appreciated designs and beautiful finishes that add value to the facility, with advanced features that provide greater comfort and performance level. With Zenit you can make any type of installation, can enjoy benefit of technical advantages that make it easier and faster. This range has the guarantee of a brand renowned for its quality such as ABB.



BL



PL



CB



CN



CC



OX



Zenit

- BL White
- PL Silver
- AN Anthracite
- CV Champagne

Zenit Noble

- CB White Glass
- CN Black Glass
- CF Graphite Glass
- CH Champagne Glass
- CP Pearl Glass

- CC Coffee Glass
- OX Stainless Steel
- WG Wenge
- PZ Slate

AN



CV



CP



CF



CH



WG



PZ



Wiring accessories

IVIE

Switch to the future

IVIE is the latest premium modular range of wiring accessories designed to address various functionalities. These include basic switching, controlling, comfort and energy saving.

The IVIE range innovatively matches your interiors and aesthetically brings out the best in your comfort zone. The enhanced design for reliable performance of this range is for the passionate, compassionate, intuitive and magnetic personality within each one of us.

The IVIE range, includes the tastefully selected color options, caters to the needs of various segments like residential, commercial and hospitality.

IVIE with its ability to integrate home automation solutions in your existing switch box, makes the range future proof.

IVIE truly makes you want to switch to the future.

Sleek and convex design in different finishes

Thanks to the complete system, The IVIE series provides a comprehensive range of solutions for building concepts. The convex and sleek design not only provides quality and style to the overall building, but is easy to install.

—
01



—
02



—
03



Different finishes and combinations:

01 Anthracite grey mechanisms in Silver plate


02 Silver mechanisms in Anthracite Grey plate

03 Anthracite grey mechanisms in White plate

Flexibility in design which provides total control

The IVIE range is the first Indian range to incorporate wired and wireless home automation systems together. This range can be integrated with

ABB-free@home® home automation system, which is the most intelligent way of managing spaces with energy saving.



Great comfort, safety and energy efficiency for buildings

ABB-free@home® sensor for switching control, blind control, dimming and scene control.



IVIE complete range

IVIE mechanisms - White



1SYK100001A1001

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 6 A - 240 V ~				
IIS10610 BL - 6A 1 way switch	1	20/400	1SYK100001A1001	155
IIS10620 BL - 6A 2 way switch	1	20/400	1SYK100001A1002	235



1SYK100001A1007

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 16 A - 240 V ~				
IIS11610 BL - 16A 1 way switch	1	20/400	1SYK100001A1006	310
IIS1161L BL - 16A 1 way switch with indicator	1	20/400	1SYK100001A1007	375



1SYK100001A1008

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 32 A - 240 V ~				
IIS2321L BL - 32A, DP switch	2	10/200	1SYK100001A1008	1,030



1SYK100001 A1003 1SYK100001 A1005

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Bell Push				
IIS106B0 BL - 6A Bell switch	1	20/400	1SYK100001A1003	265
IIS106BL BL - 6A Bell switch with indicator	1	20/400	1SYK100001A1004	335
IIS206BL BL - 6A Mega Bell switch with indicator	2	10/200	1SYK100001A1005	460




1SYK100001A1028

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Sockets				
IIK20306 BL 6A 3Pin Socket	2	10	1SYK100001A1028	330
IIK20616 BL - 6/16A socket	2	10/200	1SYK100001A1023	450
N2238 BL - Euro-American earthed socket outlet, 125/250V AC, 15/16A, 2 P+E	2	10	2CLA223800N1102	Upon request
N2135 BL - Euro-American unearthed socket outlet, 125/250V AC, 15/16A, 2 P	1	20	2CLA213500N1102	
N2237 BL - British standard socket outlet, 250V AC, 13A, 2 P+E	2	10	2CLA223700N1102	



1SYK100001A1023



2CLA218500 N1102 2CLA228500 N1102

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
USB chargers				
N2185 BL - USB charger 0.75A, 100-240V	1	1	2CLA218500N1102	Upon request
N2185.2 BL - USB charger 2A, 100-230V	1	1	2CLA218520N1102	
N2285 BL - USB charger 1.5A, 100-240V	2	1	2CLA228500N1102	



1SYK100001A1041

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Blank plates				
IIM1BLNK BL - blank plate	1	20/400	1SYK100001A1041	55

IVIE complete range

IVIE mechanisms - White



1SYK100001A1042



1SYK100001A1045



2CLA226020N1102



2CLA226030N1102



2CLA226080N1102



2CLA226090N1102

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Dimmer & fan regulators				
IIM2FR05 BL - step fan regulator 5 step	2	5/100	1SYK100001A1042	1,010
IIM1FR04 BL - step fan regulator 4 step	1	10/200	1SYK100001A1043	875
IIM2D400 BL - dimmer 400 watt	1	10/200	1SYK100001A1045	1,130
N2260.2 BL - Universal rotatory/push dimmer, 230V • Rated voltage: 230 V AC • Max. power: incandescent: 500 Watt halogen lamp with electronic transformer: 500 VA • Halogen lamp with ferromagnetic transformer: 400 VA	2	1	2CLA226020N1102	
N2260.3 BL - LED rotatory/push dimmer, 230V • Rated voltage: 230 V AC • Nominal power: 250 W/VA Power (min./max load): LEDi: 2/100 W/VA (max. 10 lamps) • Dimmable energy saving lamps: 2/100 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/100 W/VA (max. 10 lamps) • Incandescent lamps: 10/250 W/VA • Halogen lamps: 10/250 W/VA • LV halogen with transformer (only type L or LC): 10/250 W/VA (max. 10 lamps) • 2 wire connection. Optional: auxiliary on/off with 2-way switch N2X02	2	1	2CLA226030N1102	Upon request
N2260.8 BL - LED rotatory/push dimmer • Rated voltage: 127 V AC, Frequency: 50/60 Hz (Nominal power: 140 W/VA) • Power (min./max load): LEDi: 2/55 W/VA (max. 10 lamps) • Dimmable energy saving lamps: 2/55 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/55 W/VA (max. 10 lamps) • Incandescent lamps: 10/140 W/VA • Halogen lamps: 10/140 W/VA • LV halogen with transformer (only type L or LC): 10/140 W/VA (max. 10 lamps)	2	1	2CLA226080N1102	
N2260.9 BL - 1-10V rotary dimmer • Rated voltage: 127 - 230 V AC/50 - 60 Hz • Max. power: 230 Vac: 700 VA • 127 V AC: 350 VA • Max. 6 ballasts per device	2	1	2CLA226090N1102	



1SYK100001A1047

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Data & voice				
IIM1RJ11 BL - RJ11 Tel. jack 2 pin	1	20/400	1SYK100001A1047	225
IIM1RJ45 BL - RJ45 Jack cat 6	1	20/400	1SYK100001A1048	765



1SYK100001A1049

Type reference and description	Number of modules	Std Pack	Ordering code	Unit M.R.P.(₹)
TV Socket				
IIM1TVSK BL - TV co-axial socket	1	20/400	1SYK100001A1049	230



1SYK100001A1051

Type reference and description	Number of modules	Std Pack	Ordering code	Unit M.R.P.(₹)
Starters				
IIM2ST20 BL - Single Phase Starter 20A	2	5/100	1SYK100001A1051	835
IIM2ST25 BL - Single Phase Starter 25A	2	5/100	1SYK100001A1052	850

IVIE complete range

IVIE mechanisms - White



1SYK100001A1055



2CLA224450N1102 2CLA218050N1102
2CLA218040N1102



2CLA221410N1102



1SYK100001A1059



2CLA215520N1102 2CLA215530N1102



2CLA215540N1102 2CLA215560N1102



2CLA224100N1102



1SYK100001A1054



2CLA211900N1102 2CLA221900N1102



1SYK100001A1053

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
DND & MMR				
IIM1DND5 BL - DND and MMR set internal & external	2+3	5/100	1SYK100001A1055	1,690
N2244.5 BL - DND and MUR 2-gang interlocked switch	2	5	2CLA224450N1102	Upon request
N2180.5 BL - LED MUR signaling light	1	5	2CLA218050N1102	
N2180.4 BL - LED DND signaling light	1	5	2CLA218040N1102	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Key card switches				
N2214.1 BL - Card switch 1-gang, 1-way, DP	2	1	2CLA221410N1102	Upon request

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Down lighter				
IIM3DOWN BL-down lighter	3	5/100	1SYK100001A1059	660

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Audio & video connector				
N2155.2 BL - 2x RCA connection unit	1	1	2CLA215520N1102	Upon request
N2155.3 BL - 3x RCA connection unit	1	1	2CLA215530N1102	
N2155.4 BL - Mini-Jack connection unit	1	1	2CLA215540N1102	
N2155.5 BL - VGA connection unit	1	1	2CLA215550N1102	
N2155.6 BL - HDMI connection unit	1	1	2CLA215560N1102	
N2155.7 BL - HDMI female-female connection unit	1	1	2CLA215570N1102	
N2155.8 BL - USB connection unit	1	1	2CLA215580N1102	
N2155.9 BL - USB female-female connection unit	1	1	2CLA215590N1102	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Motion sensor				
N2241 BL - 110° motion sensor • Max. power: Incandescent: 1,800W @230V AC/1,000W @127V AC • Halogen with electronic or ferromagnetic transformer: 750VA @230V AC/400VA @127V AC - Fluorescent lamps or motors: 400VA @230V AC/200VA @127V AC • For automatic switching of devices dependent on motion and brightness • With integrated selector switch for automatic ON-OFF in the front side • Switch-off delay: 10 sec to 10 min or short-time pulse 1 sec adjustable (from the front side) • Detection range: 5 m radius • Adjustable light set point level for activation (from the front side) • Detection angle: 110° Mounting height: 1, 2 m Auxiliary control with N2X04.X push-buttons	2	1	2CLA224100N1102	Upon request

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Buzzer & door bell				
IIM2BUZR BL - Buzzer	2	5/100	1SYK100001A1054	455
N2119 BL - Buzzer	1	1	2CLA211900N1102	Upon request
N2219 BL - Buzzer	2	1	2CLA221900N1102	
N2224 BL - Electronic door bell 230 V AC	2	1	2CLA222400N1102	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Indicator				
IIM1INDI BL - Indicator	1	20/400	1SYK100001A1053	345

IVIE complete range

IVIE mechanisms - White



2CLA218000N1602

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Signaling light				
N2180 BL - LED white signaling light, Lamp: white LED Luminous flux: > 2 lumen at 1 meter, white diffuser	1	5	2CLA218000N1102	Upon request
N2180 RJ - LED red signaling light, Lamp: white LED Luminous flux: > 2 lumen at 1 meter, Red diffuser	1	1	2CLA218000N1602	
N2180 VD - N2180 VD, Lamp: white LED Luminous flux: > 2 lumen at 1 meter, Green diffuser	1	1	2CLA218000N1802	
N2280 BL - LED signaling light, Lamp: white LED Luminous flux: > 2 lumen at 1 meter, White diffuser	2	1	2CLA228000N1102	
N2281 BL - Beacon LED light, Lamp: white LED Luminous flux: > 2 lumen at 1 meter, white diffuser, Autonomy: 3 hours (1 hour at maximum illumination 2 hours with lower illumination), Battery: Ni-MH (estimated lifetime: 4 years)	2	1	2CLA228100N1102	



2CLA814050 A1002



2CLA224050 N1102

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Thermostat				
8140.5 - Digital room thermostat • Maximum load: 3A cos = 0,5 • Output relay operation modes: Hysteresis: 0.5° C • Pulse-width modulation: with a ±4°C difference with the set-point temperature • Variable from 100% to 0% modulation • To be installed with N2240.5 cover plates	2	1	2CLA814050A1002	Upon request
N2240.5 BL - Cover plate for digital thermostat - 2M	2	1	2CLA224050N1102	



2CLA936810A1001



2CLA936820 A1001



2CLA225710 N1102

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Sound				
9368.1 - Multiroom sound module	1	1	2CLA936810A1001	Upon request
9368.2 - Remote control for multiroom sound module	2	1	2CLA936820A1001	
N2268 BL - Cover plate for radio/remote control modules	-	1	2CLA226800N1102	
9368- FM - Radio and alarm module	2	1	2CLA936800A1001	
N2268 BL - Cover plate for radio/remote control modules	-	1	2CLA226800N1102	
9368.3 - Auxiliary module	2	1	2CLA936830A1001	
N2268.3 BL - Cover plate for I/O + USB + Bluetooth module	-	1	2CLA226830N1102	
N2257.1 BL - Speaker connection unit	2	1	2CLA225710N1102	

* More details will be provided upon request



15YK100001 A1071



15YK100001 A1072



15YK100001 A1073



15YK100001 A1074



15YK100001A1077



15YK100001A1079

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
White plate with frame				
IIP0133 BL - 1M plate	1	15/360	15YK100001A1071	170
IIP0233 BL - 2M plate	2	15/360	15YK100001A1072	185
IIPP343 BL - 3M plate power	3	10/240	15YK100001A1073	195
IIP0343 BL - 3M plate	3	10/240	15YK100001A1074	255
IIP0453 BL - 4M plate	4	10/190	15YK100001A1075	275
IIP0683 BL - 6M plate	6	5/120	15YK100001A1076	380
IIP0893 BL - 8M plate	8	5/120	15YK100001A1077	450
IIP0855 BL - 8M plate square	8	5/95	15YK100001A1078	490
IIP1286 BL - 12M plate	12	5/95	15YK100001A1079	530
IIP1888 BL - 18M plate	18	5/40	15YK100001A1080	835

IVIE complete range

IVIE mechanisms - Anthracite Grey



1SYK100001A1201

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 6 A - 240 V ~				
IIS10610 AN - 6A 1 way switch	1	20/400	1SYK100001A1201	190
IIS10620 AN - 6 A 2 way switch	1	20/400	1SYK100001A1202	265



1SYK100001A1207

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 16 A - 240 V ~				
IIS11610 AN - 16A 1 way switch	1	20/400	1SYK100001A1206	345
IIS1161L AN - 16A 1 way switch with ind.	1	20/400	1SYK100001A1207	430



1SYK100001A1208

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 32 A - 240 V ~				
IIS2321L AN - 32A, DP switch	2	10/200	1SYK100001A1208	1,185



1SYK100001 A1203 1SYK100001 A1205

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Bell Push - 240 V ~				
IIS106B0 AN - 6A Bell Switch	1	20/400	1SYK100001A1203	305
IIS106BL AN - 6A Bell Switch with ind.	1	20/400	1SYK100001A1204	385
IIS206BL AN - 6A Mega Bell switch with ind.	2	10/200	1SYK100001A1205	530



1SYK100001A1128

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Sockets - 240 V ~				
IIK20616 AN - 6/16A socket	2	10/200	1SYK100001A1223	525
IIK20306 PL 6A, 3Pin socket	2	10/200	1SYK100001A1128	370
N2238 AN - Euro-American earthed socket outlet, Rated current: 15/16A, 2P+E/NEMA 5-15R	2	10	2CLA223800N1802	Upon request
N2135 AN - Euro-American unearthed socket outlet, Rated current: 15/16A, 2P (non-earthed)/NEMA 1-15R	1	20	2CLA213500N1802	
N2237 AN - British standard socket outlet, Rated current: 13A, 2P+E	2	10	2CLA223700N1302	



1SYK100001A1223



2CLA218500 N1802

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
USB chargers				
N2185 AN - USB charger 750mA, 1-gang	1	1	2CLA218500N1802	Upon request
N2185.2 AN - USB charger 2.000mA, 1-gang	1	1	2CLA218520N1802	
N2285 AN - USB charger 1.500mA, 2-gang	2	1	2CLA228500N1802	



1SYK100001A1241

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Blank plates				
IIM1BLNK AN - Blank plate	1	20/400	1SYK100001A1241	105

IVIE complete range

IVIE mechanisms - Anthracite Grey



1SYK100001A1242



2CLA226020N1802



2CLA226030N1802



2CLA226080N1802



2CLA226090N1802



1SYK100001A1247



1SYK100001A1249



1SYK100001A1257



1SYK100001A1255



Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Motion sensor				
IIM2FR05 AN - Step fan regulator 5 step	2	5/100	1SYK100001A1242	1,145
IIM1FR04 AN - Step fan regulator 4 step	1	10/200	1SYK100001A1243	1,013
IIM1D400 AN - Dimmer 400 Watt	1	10/200	1SYK100001A1245	1,295
N2260.2 AN - Universal rotatory/push dimmer • Rated voltage: 230 V AC • Max. power: Incandescent: 500 W • Halogen lamp with electronic transformer: 500 VA • Halogen lamp with ferromagnetic transformer: 400 VA	2	1	2CLA226020N1802	
N2260.3 AN - LED rotatory/push dimmer • Rated voltage: 230 V AC • Nominal power: 250 W/VA • Power (min./max load): LEDi: 2/100 W/VA (max. 10 lamps). Dimmable energy saving lamps: 2/100 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/100 W/VA (max. 10 lamps) • Incandescent lamps: 10/250 W/VA • Halogen lamps: 10/250 W/VA • LV halogen with transformer (only type L or LC): 10/250 W/VA (max. 10 lamps) • 2 wire connection • Optional: auxiliary on/off with 2-way switch N2X02	2	1	2CLA226030N1802	Upon request
N2260.8 AN - LED rotatory/push dimmer • Rated voltage: 127 V AC • Frequency: 50/60 Hz (Nominal power: 140 W/ VA) • Power (min./max load): LEDi: 2/55 W/VA (max. 10 lamps) • Dimmable energy saving lamps: 2/55 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/55 W/VA (max. 10 lamps) • Incandescent lamps: 10/140 W/VA • Halogen lamps: 10/140 W/VA • LV halogen with transformer (only type L or LC): 10/140 W/VA (max. 10 lamps)	2	1	2CLA226080N1802	
N2260.9 AN - 1-10V rotary dimmer • Rated voltage: 127 - 230 V AC / 50 - 60 Hz • Max. power: 230 V AC: 700 VA • 127 V AC: 350 VA • Max. 6 ballasts per device	2	1	2CLA226090N1802	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Data & Voice				
IIM1RJ11 AN - RJ11 Tel. jack 2 pin	1	20/400	1SYK100001A1247	265
IIM1RJ45 AN - RJ45 Jack cat 6	1	20/400	1SYK100001A1248	865

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
TV socket				
IIM1TVSK AN - TV co-axial socket	1	20/400	1SYK100001A1249	315

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Shaver socket				
IIM2SVSK AN - Shaver Socket	2	5/100	1SYK100001A1257	1,565

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
DND & MMR				
IIM1DND5 AN - DND and MMR set internal & external	2+3	5/100	1SYK100001A1255	1,880
N2244.5 AN - DND and MUR 2-gang interlocked switch	2	1	2CLA224450N1802	
N2180.4 AN - LED MUR signaling light	1	1	2CLA218050N1802	Upon request
N2180.4 AN - LED DND signaling light	1	1	2CLA218040N1802	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Key card switches				
- Card switch 1-gang, 1-way, DP	2	1	2CLA221410N1802	Upon request

IVIE complete range

IVIE mechanisms - Anthracite Grey



1SYK100001A1259

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Down lighter				
IIM3DOWN AN - Down lighter	3	5/100	1SYK100001A1259	980



2CLA215520 N1802



2CLA215530 N1802



2CLA215540 N1802



2CLA215550 N1802



2CLA215560 N1802



2CLA215580 N1802

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Audio & Video Connector				
N2155.2 AN - 2x RCA connection unit	1	1	2CLA215520N1802	Upon request
N2155.3 AN - 3x RCA connection unit	1	1	2CLA215530N1802	
N2155.4 AN - Mini-Jack connection unit	1	1	2CLA215540N1802	
N2155.5 AN - VGA connection unit	1	1	2CLA215550N1802	
N2155.6 AN - HDMI connection unit	1	1	2CLA215560N1802	
N2155.7 AN - HDMI female-female connection unit	1	1	2CLA215570N1802	
N2155.8 AN - USB connection unit	1	1	2CLA215580N1802	
N2155.9 AN - USB female-female connection unit	1	1	2CLA215590N1802	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Motion Sensor				
N2241 AN - 110° motion sensor • Max. power: Incandescent: 1.800W @230V AC/1.000W @127V AC • Halogen with electronic or ferromagnetic transformer: 750VA @230V AC/400VA @127V AC • Fluorescent lamps or motors: 400VA @230V AC/200VA @127V AC • For automatic switching of devices dependent on motion and brightness • With integrated selector switch for automatic ON-OFF in the front side • Switch-off delay: 10 sec. to 10 min. or short-time pulse 1 sec adjustable (from the front side) • Detection range: 5 m radius Adjustable light set point level for activation (from the front side) • Detection angle: 110° Mounting height: 1, 2 m auxiliary control with N2X04.X push-buttons	2	1	2CLA224100N1802	Upon request

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Buzzer & Door Bell				
IM2BUZR AN - Buzzer	2	5/100	1SYK100001A1254	665
N2119 AN - Buzzer	1	1	2CLA211900N1802	Upon request
N2219 AN - Buzzer	2	1	2CLA221900N1802	
N2224 AN - Electronic door bell 230 V AC	2	1	2CLA222400N1802	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Indicator				
IIM1INDI AN - Indicator	1	20/400	1SYK100001A1253	390

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Thermostat				
N2240.5 AN - Cover plate for digital thermostat	2	1	2CLA224050N1802	Upon request



2CLA211900 N1802



2CLA221900 N1802

IVIE complete range

IVIE mechanisms - Anthracite Grey




1SYK100001A1271 1SYK100001A1272



1SYK100001A1273



1SYK100001A1274




1SYK100001A1277

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Anthracite plate with frame				
IIP0133 AN - 1M plate	1	15/360	1SYK100001A1271	415
IIP0233 AN - 2M plate	2	15/360	1SYK100001A1272	430
IIPP343 AN - 3M plate power	3	10/240	1SYK100001A1273	490
IIP0343 AN - 3M plate	3	10/240	1SYK100001A1274	585
IIP0453 AN - 4M plate	4	10/190	1SYK100001A1275	735
IIP0683 AN - 6M plate	6	5/120	1SYK100001A1276	920
IIP0893 AN - 8M plate	8	5/120	1SYK100001A1277	1,065
IIP0855 AN - 8M plate square	8	5/95	1SYK100001A1278	1,155
IIP1286 AN - 12M plate	12	5/95	1SYK100001A1279	1,545
IIP1888 AN - 18M plate	18	5/40	1SYK100001A1280	2,175

IVIE installation system

IVIE series is a grid type system enabling combination of colours and products of different dimensions and functionalities, together with ABB-free@home® sensors that have to be composed with the required frame, in order to have the right assortment of functionality and design.



Mounting plate

Premium rocker switch

Frame

IVIE complete range

IVIE mechanisms - Silver



1SYK100001A1101

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 6 A - 240 V ~				
IIS10610 PL - 6A 1 way switch	1	20/400	1SYK100001A1101	190
IIS10620 PL - 6A 2 way switch	1	20/400	1SYK100001A1102	265



1SYK100001A1107

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 16 A - 240 V ~				
IIS11610 PL - 16A 1 way switch	1	20/400	1SYK100001A1106	345
IIS1161L PL - 16A 1 way switch with Ind.	1	20/400	1SYK100001A1107	430



1SYK100001A1108

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Switch 32 A - 240 V ~				
IIS2321L PL - 32A, DP switch	2	10/200	1SYK100001A1108	1,185



1SYK100001 A1003 1SYK100001 A1105

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Bell Push - 240 V ~				
IIS106B0 PL - 6A Bell Switch	1	20/400	1SYK100001A1103	305
IIS106BL PL - 6A Bell Switch with Ind.	1	20/400	1SYK100001A1104	385
IIS206BL PL - 6A Mega bell switch with Ind.	2	10/200	1SYK100001A1105	530



1SYK100001A1128

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Sockets - 240 V ~				
IIK20616 PL - 6/16A socket	2	10/200	1SYK100001A1123	525
IIK20306 AN 6A, 3Pin socket	2	10/200	1SYK100001A1228	370
N2238 PL - Euro-American earthed socket outlet, Rated voltage: 125/250 Vac, Rated current: 15/16A. 2P+E/ NEMA 5-15R	2	10	2CLA223800N1302	Upon request
N2135 PL - Euro-American unearthed socket outlet, Rated voltage: 125/250 V AC, Rated current: 15/16A. 2P (non-earthed)/NEMA 1-15R	1	20	2CLA213500N1302	
N2237 PL - British standard socket outlet, Rated current: 13A, 2P+E	2	10	2CLA223700N1802	



1SYK100001A1123



2CLA218500 N1302 2CLA228500 N1302

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
USB Chargers				
N2185 PL - USB charger 750mA, 1-gang	1	1	2CLA218500N1302	Upon request
N2185.2 PL - USB charger 2.000mA, 1-gang	1	1	2CLA218520N1302	
N2285 PL - USB charger 1.500mA, 2-gang	2	1	2CLA228500N1302	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Blank Plates				
IIM1BLNK PL - Blank Plate	1	20/400	1SYK100001A1141	105

IVIE complete range

IVIE mechanisms - Silver



1SYK100001A1142



2CLA226030N1302



2CLA226030N1302



2CLA226080N1302



2CLA226090N1302

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Dimmer & Fan Regulators				
IIM2FR05 PL - Step fan regulator 5 step	2	5/100	1SYK100001A1142	1,150
IIM1FR04 PL - Step fan regulator 4 step	1	10/200	1SYK100001A1143	1,010
IIM1D400 PL - Dimmer 400 Watt	1	10/200	1SYK100001A1145	1,295
N2260.2 PL - Universal rotatory/push dimmer • Rated voltage: 230 V AC • Max. power: Incandescent: 500 W • Halogen lamp with electronic transformer: 500 VA • Halogen lamp with ferromagnetic transformer: 400 VA.	2	1	2CLA226020N1302	
N2260.3 PL - LED rotatory/push dimmer 230 V AC • Rated voltage: 230 V AC, Nominal power: 250 W/VA • Power (min./max load): LEDi: 2/100 W/VA (max. 10 lamps) • Dimmable energy saving lamps: 2/100 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/100 W/VA (max. 10 lamps) • Incandescent lamps: 10/250 W/VA • Halogen lamps: 10/250 W/VA • LV halogen with transformer (only type L or LC): 10/250 W/VA (max. 10 lamps) • 2 wire connection • Optional: auxiliary on/off with 2-way switch N2X02	2	1	2CLA226030N1302	Upon request
N2260.8 PL - LED rotatory/push dimmer 127 V AC • Rated voltage: 127 V AC, Frequency: 50/60 Hz (Nominal power: 140 W/VA) • Power (min./max load): LEDi: 2/55 W/VA (max. 10 lamps) • Dimmable energy saving lamps: 2/55 W/VA (max. 10 lamps) • LV LEDi with transformer (only type L or LC): 4/55 W/VA (max. 10 lamps) • Incandescent lamps: 10/140 W/VA • Halogen lamps: 10/140 W/VA • LV halogen with transformer (only type L or LC): 10/140 W/VA (max. 10 lamps)	2	1	2CLA226080N1302	
N2260.9 PL - 1-10V rotary dimmer • Rated voltage: 127 - 230 V AC/50 - 60 Hz • Max. power: 230 Vac: 700 VA • 127 Vac: 350 VA • Max. 6 ballasts per device	2	1	2CLA226090N1302	



1SYK100001A1147



1SYK100001A1149



1SYK100001A1157

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Data & Voice				
IIM1RJ11 PL - RJ11 Tel. jack 2 pin	1	20/400	1SYK100001A1147	265
IIM1RJ45 PL - RJ45 Jack cat 6	1	20/400	1SYK100001A1148	865

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
TV Socket				
IIM1TVSK PL - TV co-axial socket	1	20/400	1SYK100001A1149	315

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Shaver Socket				
IIM2SVSK PL - Shaver Socket	2	5/100	1SYK100001A1157	1,565



2CLA218040N1302

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
DND & MMR				
IIM1DNDS PL - DND and MMR set internal & external	2+3	5/100	1SYK100001A1155	1,880
N2244.5 PL - DND and MUR 2-gang interlocked switch	1	1	2CLA224450N1302	
N2180.4 PL - LED DND signaling light	2	1	2CLA218040N1302	Upon request
N2180.4 BL - LED MUR signaling light	1	1	2CLA218050N1102	

IVIE complete range

IVIE mechanisms - Silver



2CLA221410N1302



1SYK100001A1159



2CLA215520
N1302



2CLA215530
N1302



2CLA215540
N1302



2CLA215550
N1302



2CLA215560
N1302



2CLA215580
N1302



2CLA211900
N1302



2CLA221900
N1302

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Key Card Switches				
N2214.1 PL - Card switch 1-gang, 1-way, DP	2	1	2CLA221410N1302	Upon request

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Down Lighter				
IIM3DOWN PL - Down lighter	2	5/100	1SYK100001A1159	985

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Audio & Video Connector				
N2155.2 PL - 2x RCA connection unit	1	1	2CLA215520N1302	Upon request
N2155.3 PL - 3x RCA connection unit	1	1	2CLA215530N1302	
N2155.4 PL - Mini-Jack connection unit	1	1	2CLA215540N1302	
N2155.5 PL - VGA connection unit	1	1	2CLA215550N1302	
N2155.6 PL - HDMI connection unit	1	1	2CLA215560N1302	
N2155.7 PL - HDMI female-female connection unit	1	1	2CLA215570N1302	
N2155.8 PL - USB connection unit	1	1	2CLA215580N1302	
N2155.9 PL - USB female-female connection unit	1	1	2CLA215590N1302	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Motion Sensor				
N2241 PL - 110° motion sensor Max. power: Incandescent: 1.800W @230V AC/1.000W @127V AC • Halogen with electronic or ferromagnetic transformer: 750VA @230V AC/400VA @127V AC - Fluorescent lamps or motors: 400VA @230V / 200VA @127Vac • For automatic switching of devices dependent on motion and brightness • With integrated selector switch for automatic ON-OFF in the front side, Switch-off delay: 10 sec to 10 min or short-time pulse 1 sec adjustable (from the front side) • Detection range: 5 m radius Adjustable light set point level for activation (from the front side) • Detection angle: 110° Mounting height: 1, 2 m Auxiliary control with N2X04.X push-buttons	2	1	2CLA224100N1302	Upon request


Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Buzzer & Door Bell				
IIM2BUZR PL - Buzzer	2	5/100	1SYK100001A1154	665
N2119 PL - Buzzer	1	1	2CLA211900N1302	Upon request
N2219 PL - Buzzer	2	1	2CLA221900N1302	
N2224 PL - Electronic door bell 230 V AC	2	1	2CLA222400N1302	

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Indicator				
IIM1INDI PL - Indicator	1	20/400	1SYK100001A1153	390

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Thermostat				
N2240.5 PL - Cover plate for digital thermostat	2	1	2CLA224050N1302	Upon request


IVIE complete range

IVIE mechanisms - Silver



Plates

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Silver plate with frame				
IIP0133 PL - 1M plate	1	15/360	1SYK100001A1171	415
IIP0233 PL - 2M plate	2	15/360	1SYK100001A1172	430
IIPP343 PL - 3M plate power	3	10/240	1SYK100001A1173	495
IIP0343 PL - 3M plate	3	10/240	1SYK100001A1174	585
IIP0453 PL - 4M plate	4	10/190	1SYK100001A1175	735
IIP0683 PL - 6M plate	6	5/120	1SYK100001A1176	920
IIP0893 PL - 8M plate	8	5/120	1SYK100001A1177	1,065
IIP0855 PL - 8M plate square	8	5/95	1SYK100001A1178	1,155
IIP1286 PL - 12M plate	12	5/95	1SYK100001A1179	1,545
IIP1888 PL - 18M plate	18	5/40	1SYK100001A1180	2,175



Metal flush boxes

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Flush boxes				
Metal Box 1-2M - CMBZ3302	1/2	108	1SYN880452R0001	120
Metal Box 3M - CMBZ4303	3	82	1SYN880453R0001	130
Metal Box 4-5M - CMBZ5305	4	60	1SYN880454R0001	160
Metal Box 6M - CMBZ8306	6	40	1SYN880463R0001	270
Metal Box 8M - CMBZ9308	8	39	1SYN880464R0001	375
Metal Box 8MV - CMBZ5508V	8	26	1SYN880456R0001	350
Metal Box 12M - CMBZ8612	12	16	1SYN880465R0001	410



Euro White



Anthracite Grey




Silver

ABB Tvisha

Wiring accessories

Switch on simplicity

ABB Tvisha is a range of wiring accessories with simple flat surface design that creates a trend on the wall with its elegant Euro white finish. The range covers a large variety of functionalities that caters to most of the applications beyond the normal switching functions like USB chargers, HDMI ports, communication sockets, foot lamps and dimmers. ABB Tvisha is ideal for residential and commercial requirements.



- Plastic parts which hold current carrying parts are made of PA6 20% glass filled rating upto 16A
- All switches are marked with IS 3854:1997
- Terminals are designed in such a way that wire is tightened without damage
- Bi-metal silver contact tips for less spark and longer life
- 6A & 6/16A marked with IS 1293, up to 16A
- Non-flammable thermoplastic resin parts and a very high insulating resistance after humidity test



Switches

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITS10610 BL 6A 1 way switch	1 M	20	15YK100001A1501	125
ITS1061L BL 6A 1 way switch with Ind.	1 M	20	15YK100001A1502	180
ITS10620 BL 6A 2 way switch	1 M	20	15YK100001A1503	165
ITS106B0 BL 6A Bell switch	1 M	20	15YK100001A1504	175
ITS106BL BL 6A Bell switch with Ind.	1 M	20	15YK100001A1505	240
ITS11610 BL 16A 1 way switch	1 M	20	15YK100001A1506	190
ITS1161L BL 16A 1 way switch with Ind.	1 M	20	15YK100001A1507	230
ITS1201L BL 20A DP Switch 1 way with Ind.	1 M	20	15YK100001A1508	520
ITS206BL BL 6A Bell Mega switch with Ind.	2 M	10	15YK100001A1509	310
ITS2062L BL 6A 2 way Mega switch with Ind.	2 M	10	15YK100001A1510	355
ITS2162L BL 16A 2 way Mega switch with Ind.	2 M	10	15YK100001A1511	370
ITS2321L BL 32A 1 Way DP Mega switch with Ind.	2 M	10	15YK100001A1512	525

Sockets

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITK20306 BL 6A 3Pin Socket	2 M	10	15YK100001A1527	165
ITK20616 BL 6/16A Socket	2 M	10	15YK100001A1523	305

Price list

Switches, sockets, plates and accessories



Support accessories

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITM1BLNK BL Blank plate	1 M	20	15YK100001A1541	38
ITM2FR05 BL Fan regulator 5 step	2 M	5	15YK100001A1542	675
ITM1FR04 BL Fan regulator 4 step	1 M	10	15YK100001A1543	500
ITM1RJ11 BL RJ 11TEL 2 Pin	1 M	20	15YK100001A1544	155
ITM1RJ45 BL RJ 45 Jack CAT 6	1 M	20	15YK100001A1545	585
ITM1TVSK BL TV socket	1 M	20	15YK100001A1546	160
ITM1FLEX BL Flex outlet	1 M	20	15YK100001A1547	140
ITM2LDFL BL LED foot lamp	1 M	10	15YK100001A1550	500
ITM1INDI BL Indicator	2 M	5	15YK100001A1551	275
ITM1USBC BL USB Charger 1A	1 M	5	15YK100001A1552	1,050
ITM2USBC BL USB charger 2A	2 M	10	15YK100001A1553	2,005
ITM1HDMI BL HDMI Port 2.0	1 M	20	15YK100001A1554	1,435
ITM1D400 BL Dimmer 400W	1 M	20	15YK100001A1548	725
ITM2D1000 BL Dimmer 1000W	1 M	20	15YK100001A1549	915
ITM2MS20 BL Single Phase Starter 20A	2 M	5	15YK100001A1555	1,005
ITM2MS25 BL Single Phase Starter 25A	2 M	5	15YK100001A1556	1,090



Plates

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITP0133 BL 1 M Plate	1 M	15	15YK100001A1571	106
ITP0233 BL 2 M Plate	2 M	15	15YK100001A1572	106
ITPP343 BL 3 M Plate power	3 M	10	15YK100001A1573	140
ITP0453 BL 4 M Plate	4 M	10	15YK100001A1574	150
ITP0683 BL 6 M Plate	6 M	5	15YK100001A1575	270
ITP0893 BL 8 M Plate	8 M	5	15YK100001A1576	280
ITP0855 BL 8 M Plate square	8 M	5	15YK100001A1577	390
ITP1286 BL 12 M Plate	12 M	5	15YK100001A1578	465
ITP1696 BL 16M Plate	16 M	5	15YK100001A1579	530
ITP1888 BL 18M Plate	18 M	5	15YK100001A1580	590



Metal flush boxes

Type reference and description	Number of modules	Std pack	Ordering code	Unit M.R.P.(₹)
Flush boxes				
Metal Box 1-2M - CMBZ3302	1/2	108	15YN880452R0001	120
Metal Box 3M - CMBZ4303	3	82	15YN880453R0001	130
Metal Box 4-5M - CMBZ5305	4	60	15YN880454R0001	160
Metal Box 6M - CMBZ8306	6	40	15YN880463R0001	270
Metal Box 8M - CMBZ9308	8	39	15YN880464R0001	375
Metal Box 8MV - CMBZ5508V	8	26	15YN880456R0001	350
Metal Box 12M - CMBZ8612	12	16	15YN880465R0001	410
Metal Box 16M - CMBZ9616	12	15	15YN880466R0001	540
Metal Box 18M - CMBZ8824	18	10	15YN880462R0001	650


ABB Tvisha (White)

Wiring accessories



Switches

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITS10610 RW 6A 1 way switch	1 M	20	1SYK100001A1801	Upon Request
ITS1061L RW 6A 1 way switch with Ind.	1 M	20	1SYK100001A1802	
ITS10620 RW 6A 2 way switch	1 M	20	1SYK100001A1803	
ITS106B0 RW 6A Bell Switch	1 M	20	1SYK100001A1804	
ITS106BL RW 6A Bell Switch with Ind.	1 M	20	1SYK100001A1805	
ITS11610 RW 16A 1 way switch	1 M	20	1SYK100001A1806	
ITS1161L RW 16A 1 way switch with Ind.	1 M	20	1SYK100001A1807	
ITS1201L RW 20A DP Switch 1 way with Ind.	1 M	20	1SYK100001A1808	
ITS206BL RW 6A Bell Mega Switch with Ind.	2 M	10	1SYK100001A1809	
ITS2062L RW 6A 2 way Mega Switch with Ind	2 M	10	1SYK100001A1810	
ITS2162L RW 16A 2 way Mega Switch with Ind	2 M	10	1SYK100001A1811	
ITS2321L RW 32A 1 Way DP Mega Switch with Ind.	2 M	10	1SYK100001A1812	



Sockets

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITK20006 RW 6A 3 Pin Socket	2 M	10	1SYK100001A1827	Upon Request
ITK20616 RW 6/16A Socket	2 M	10	1SYK100001A1823	



Support accessories

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITM1BLNK RW Blank Plate	1 M	20	1SYK100001A1841	Upon Request
ITM2FR05 RW Fan Regulator 5 Step	2 M	5	1SYK100001A1842	
ITM1FR04 RW Fan Regulator 4 Step	1 M	10	1SYK100001A1843	
ITM1RJ11 RW RJ 11TEL 2 Pin	1 M	20	1SYK100001A1844	
ITM1RJ45 RW RJ 45 Jack CAT 6	1 M	20	1SYK100001A1845	
ITM1TVSK RW TV Socket	1 M	20	1SYK100001A1846	
ITM1FLEX RW Flex outlet	1 M	20	1SYK100001A1847	
ITM1D400 RW Dimmer 400W	1 M	10	1SYK100001A1848	
ITM2D1000 RW Dimmer 1000W	2 M	5	1SYK100001A1849	
ITM2LDFL RW LED Foot Lamp	1 M	5	1SYK100001A1850	
ITM1INDI RW Indicator	2 M	10	1SYK100001A1851	
ITM1USBC RW USB Charger 1A	1 M	20	1SYK100001A1852	
ITM2USBC RW USB Charger 2A	1 M	20	1SYK100001A1853	
ITM1HDMI RW HDMI Port 2.0	1 M	20	1SYK100001A1854	
ITM2MS20 RW Motor Starter 20A	2 M	5	1SYK100001A1855	
ITM2MS25 RW Motor Starter 25A	2 M	5	1SYK100001A1856	

ABB Tvisha (White)

Wiring accessories




Plates

Item description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
ITP0133 RW 1 M Plate	1 M	15	1SYK100001A1871	
ITP0233 RW 2 M Plate	2 M	15	1SYK100001A1872	
ITPP343 RW 3 M Plate Power	3 M	10	1SYK100001A1873	
ITP0453 RW 4 M Plate	4 M	10	1SYK100001A1874	
ITP0683 RW 6 M Plate	6 M	5	1SYK100001A1875	Upon request
ITP0893 RW 8 M Plate	8 M	5	1SYK100001A1876	
ITP0855 RW 8 M Plate Square	8 M	5	1SYK100001A1877	
ITP1286 RW 12 M Plate	12 M	5	1SYK100001A1878	
ITP1696 RW 16M Plate	16 M	5	1SYK100001A1879	
ITP1888 RW 18M Plate	18 M	5	1SYK100001A1880	

ABB Tvisha

Antibacterial range



Switches with double shrouds



Socket with separate shutter



Frame with partition



Knobs with 360° rotation



*Ordering codes and prices on request

Snieo

Wiring accessories

Classic ideas never go out of style

Snieo combines modern design with high-performance materials such as premium thermoplastic resin. Our switches are made of fire retardant substances with superior electrical properties. Chamfered edges prevent dust accumulation and well crafted sockets provide an enduring grip for a variety of plugs.



Switch modules

Description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
6A 1 way switch - CPW10610	1	25	1SYN880676R0001 ■	120
6A 2 way switch - CPW10620	1	25	1SYN880677R0001 ■	160
6A Bell Push - CPW106B0	1	25	1SYN880676R0002 ■	170
6A 1 way switch LED - CPW1061L	1	25	1SYN880676R0003 ■	175
6A Bell Push LED - CPW106BL	1	25	1SYN880676R0004 ■	240
16A 1 way switch - CPW11610	1	25	1SYN880676R0005 ■	175
16A 2 way switch - CPW11620	1	25	1SYN880677R0002 ■	245
16A 1 way switch with LED - CPW1161L	1	25	1SYN880676R0006 ■	225
20A DP Switch 1 way with LED - CPW1201L	1	20	1SYN880670R0001 ■	310
6A 1 way Mega switch with LED - CPW2061L	2	10	1SYN880652R0001 ■	255
6A 2 way Mega switch with LED - CPW2062L	2	10	1SYN880652R0002 ■	305
6A Mega Bell Push with LED - CPW206BL	2	10	1SYN880652R0003 ■	275
16A 1 way Mega switch with LED - CPW2161L	2	10	1SYN880653R0001 ■	315
16A 2 way Mega switch with LED - CPW2162L	2	10	1SYN880653R0002 ■	340
32A 1 way DP Switch with LED - CPW2321DPL	2	10	1SYN880655R0001 ■	425

Socket modules

Description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
6A 3 Pin Socket - 2 Module - CPWS2063	2	20	1SYN880690R0002 ■	175
6/16A Socket - 2 Module - CPWS2166	2	10	1SYN880393R0001 ■	265
6/16A Socket - CPWS3166	3	5	1SYN880122R0001 ■	320

Support modules

Description	Module size	Std pack	Ordering code	Unit M.R.P.(₹)
Fan Regulator - 1 Module - CPW1SFR4	1	20	1SYN880373R0001	410
Fan Regulator - CPW2SFR5	2	10	1SYN880284R0003 ■	600
Dimmer 100W - 1 Module - CPW1D0400	1	20	1SYN880373R0011 ■	495
Dimmer 400W - CPW2D0400	2	10	1SYN880400R0001	740
Dimmer 1000W - CPW1D1000	2	20	1SYN880500R0001	860
Blank Plate - CPW1BLNK	1	80	1SYN880182R0001 ■	40
TV Socket - CPW1TVSK	1	20	1SYN880175R0001 ■	130
RJ 11TEL 2 Pin - CPW1RJ11	1	20	1SYN880192R0001 ■	120
RJ 45 Jack CAT 6 - CPW1RJ45	1	20	1SYN880201R0001 ■	595
Flex Outlet - CPW1FLEX	1	20	1SYN880165R0001	155
Foot Lamp Grid - CPW4FLGD	4	10	1SYN880671R0001	280
Buzzer - CPW2BZR	2	10	1SYN880490R0001	250
Indicator - CPW1IND	1	20	1SYN880412R0004	260

■ Stock items

Snieo

Wiring accessories

Hospitality products

Description	Ordering code	M.R.P. (₹)
Mechanical Keytag fitted with Lumina Plate & 20A DP Switch (3M) - CPW320MKT	1SYN880669R0001	945
DND/MMR Set - External - CPWDNDSET	1SYN880412R0005	815
Switch Ste DND/MMR - Internal - CPW2SET	1SYN880414R0001	530
Room Occupied - Internal - CPW1OQP	1SYN880412R0003	360
USB Charger 1Module 1000mA - 1 CPW1USBC	1SYN880417R0001	1,510
Charger 2Module 2000mA - 2 CPW2USBC	1SYN880418R0001	2,760

Snieo mounting plates

Description	Metal box size	Std Pack	Ordering code	Unit M.R.P.(₹)
1 M Plate - SNWP3301	3"x3"	25	1SYN880421R0001 ■	90
2 M Plate - SNWP3302	3"x3"	25	1SYN880422R0001 ■	90
3 M Plate - SNWP4303	4"x3"	20	1SYN880423R0001 ■	115
3 M Power Plate - SNWP4303S	4"x3"	20	1SYN880424R0001 ■	115
4 M Plate - SNWP5304	5"x3"	15	1SYN880425R0001 ■	135
5 M Plate - SNWP5305	5"x3"	15	1SYN880426R0001 ■	155
6 M Plate - SNWP8306	8"x3"	10	1SYN880427R0001 ■	180
8 M Plate - SNWP8308	8"x3"	10	1SYN880428R0001 ■	265
8 M Plate Square - SNWP5508	5"x5"	6	1SYN880430R0001 ■	250
8 M Plate - SNWP9310	9"x3"	15	1SYN880429R0001 ■	270
12 M Plate - SNWP8612	8"x6"	6	1SYN880431R0001 ■	325
16 M Plate - SNWP8616	8"x6"	6	1SYN880432R0001 ■	400

Metal flush boxes

Description	Metal box size	Std Pack	Ordering code	Unit M.R.P.(₹)
Metal Box 1-2M - CMBZ3302	3"x3"	108	1SYN880452R0001 ■	120
Metal Box 3M - CMBZ4303	4"x3"	82	1SYN880453R0001 ■	130
Metal Box 4-5M - CMBZ5305	5"x3"	60	1SYN880454R0001 ■	160
Metal Box 6-8MH - CMBZ8308	8"x3"	40	1SYN880455R0001 ■	275
Metal Box 9-10M - CMBZ9310	9"x3"	39	1SYN880457R0001 ■	385
Metal Box 8MV - CMBZ5508V	5"x5"	26	1SYN880456R0001 ■	360
Metal Box 12-16M - CMBZ8616	8"x6"	16	1SYN880458R0001 ■	410

Surface boxes

Description	Length	Height	Depth	Std Pack	Ordering code	Unit M.R.P.(₹)
Surface box 1-2M- SNBW3302	86.7	86.7	49.3	60	1SYN880351R0001	Upon request
Surface box 3M- SNBW4303	115	87	50.8	45	1SYN880352R0001	
Surface box 4M- SNBW5305	146	85.3	50.6	30	1SYN880353R0001	
Surface box 6-8M- SNBW8308	220.3	85.9	50.5	20	1SYN880354R0001	

■ Stock items