


 **ANCHOR**

by **Panasonic**



**FOR THOSE
WHO TURN
CLASS INTO
A STATEMENT**



PRICELIST: FEB 2021



60013 60016 60019 60022 60025 60028 60031



60034 60037 60040 60043 60046



60058 60061 60064 60067 60070 60073



60085 60088



60100 60114 60106 60109 / 60110 60112 60018



60154 60157



60166 60172 / 61865 60175 60178 60181

* 16A,20A,25A Switch not suggested for geyser load. Instead Motor Starter must be used.

SWITCHES 10AX RATED, 240V~, SP



Code	Description	HSN	MRP	PKG
60013	10AX 1 Way Switch, 1M	8536	101	20
60016	10AX 2 Way Switch, 1M	8536	129	20
60019	10AX 1 Way Switch With Indicator, 1M	8536	134	20
60022	10AX 1 Way Switch With Fan Mark, 1M	8536	126	20
60025	10AX 1 Way Switch With Light Mark, 1M	8536	126	20
60028	10A Bell Push Switch, 1M	8536	130	20
60031	10A Bell Push Switch With Indicator, 1M	8536	147	20
60034	10AX 1 Way Switch Large, 2M	8536	137	10
60037	10AX 2 Way Switch Large, 2M	8536	152	10
60040	10AX 1 Way Switch With Indicator Large, 2M	8536	152	10
60043	10A Bell Push Switch Large, 2M	8536	147	10
60046	10A Bell Push Switch With Indicator Large, 2M	8536	170	10

SWITCHES 20A RATED, 240V~, SP



Code	Description	HSN	MRP	PKG
60058	20A 1 Way Switch, 1M	8536	152	20
60061	20A 2 Way Switch, 1M	8536	170	20
60064	20A 1 Way Switch With Indicator, 1M	8536	174	20
60067	20A 1 Way Switch Large, 2M	8536	175	10
60070	20A 2 Way Switch Large, 2M	8536	195	10
60073	20A 1 Way Switch With Indicator Large, 2M	8536	204	10

POWER SWITCHES, 240V~



Code	Description	HSN	MRP	PKG
60085	25A S.P.1 Way Switch With Indicator, 1M	8536	224	20
60088	32A D.P. Main Switch With Indicator, 2M	8536	284	10

SOCKETS 6A / 10A / 13A / 20A, 240V~

Code	Description	HSN	MRP	PKG
60100	6A 2 Pin URO Socket, 1M	8536	103	20
60114	6A, 2 Pin Round Socket (with Shutter), ISI, 2M	8536	103	20
60106	6A Multi Socket For 2 and 3 Pin Plug, 2M	8536	147	10
60109	10A/20A Twin Socket, 2M	8536	236	10
60110	6A/16A Twin Socket, 2M, ISI, 2M	8536	260	10
60112	6A/10A/13A Combi Socket for all types of Pins, 2M	8536	260	10
60018	10A, 3 Pin Socket, ISI, 2M	8536	142	10

MOTOR STARTER SWITCH SINGLE PHASE, 240V~

Code	Description	HSN	MRP	PKG
60154	20A Motor Starter Switch, 2M	8536	491	10
60157	25A Motor Starter Switch, 2M	8536	491	10

FAN REGULATORS & DIMMERS, 240V~, 50Hz

Code	Description	HSN	MRP	PKG
60166	Fan Step Regulator Tiny EME 100W, ISI, 1M	8414	383	10
60172	Fan Step Regulator 100W, ISI, 2M	8414	516	10
61865	High speed fan Step regulator 100W, 2M	8414	535	10
60175	Mini 450 W Dimmer, 1M	8543	399	10
60178	Dimmer 650 W (For Incandescent Lamp), 2M	8543	543	10
60181	Dimmer 1000 W (For Incandescent Lamp), 2M	8543	714	10

SUPPORT MODULE

Code	Description	HSN	MRP	PKG
60217	Telephone Jack RJ11 Single With Shutter, 1M	8536	124	20
61859	RJ45 Computer Socket Cat 6, 1M	8536	506	20
61856	RJ45 Computer Socket Cat 5e, 1M	8536	419	10
60220	Telephone Jack RJ11 Double W/O Shutter, 1M	8536	180	10
60229	Adaptor only For At & T / Lucent Amps Avaya Cat5, 1M	8536	132	10
61862	RJ45 Receptor, 1M	8536	123	10
60265	Adaptor For At & T / Lucent Cat 6 With Shutter, 1M	8536	137	10
60226	Computer / Modem Jack RJ45 With Shutter, 2M	8536	230	10
60232	Computer / Modem Jack Cat 5 With Shutter, 2M	8536	1024	10
60268	Computer Jack Cat 6 For At & T / Lucent, 2M	8536	1139	10
60241	Fuse Unit For 16A Or 10A, 1M	8536	135	20
60205	Cord Outlet With Grip, 1M	8536	108	20
60208	TV Antena Outlet, 1M	8536	125	20
60250	Bell Indicator, 1M	8536	246	10
60244	Neon Indicator (Red), 1M	8531	89	10
60235	Blank Plate Single, 1M	8538	29	20
60271	Buzzer, 2M	8531	159	10
60148	1000mA,5VDC, USB Charger, 1M	8536	823	10
60281	2500mA,5VDC, USB Charger, 2M (CRS Certified)	8536	1395	10
60282	2100mA,5VDC, USB Charger, 1M (CRS Certified)	8536	828	10
60256	PIR Sensor(Wall Mounting), 12A,240~,50Hz Detector, 2M	8536	2807	4
60259	Compact Speake 3 w. rms, 2M	8536	367	10
60223	Volume Controller, 2M	8536	173	10
60334	Indicator / Night Lamp With LED (Long Life), 2M	8536	241	10
60253	Down Light / Foot Light (LED - White) With Variable Shutter Regulates Light Output (3 Module White cool day Light)	8512	472	10

HOTEL & HOSPITALITY RANGE 240V~ (UNIT 5 NOS) DND/MMR

60637	Indicator marked Do Not DISTURB Indicator marked MAKE MY ROOM Bell Push (To operate from outside the room) + Switch marked Do Not DISTURB Switch marked MAKE MY ROOM (To operate from inside the room)	8536	1085	5
60289	32A D.P. Switch Operate by Key Ring Tag PC (With Frame & Front Plate) 2 module (complete Unit)	8536	575	5
60202	20A 30 Seconds Time Delay Electronic Key Card Unit (Without frame & Plate) 3 module (supplied without card)	8536	1631	5
60298	Shaver Socket With Transformer 110/240V (with mounting frame & front plate) 4 module	8536	1750	5
60267	3.5mm Audio Jack	8536	900	10



60217 61859 61856 60220 60229 61862 (Suitable for Amps. KRONE, Systimax Jacks) 60265 60226



60232 CAT 5 60268 CAT 6 60241 60205 60208 60250 60244



60235 60271 60148 60281 60282 60256



60259 60223 60334 60253



For Outside The Room For Inside The Room Final Look Outside The Room

60637



60289 60202 Final Look Inside The Room



60298 60267



SWITCHES 10AX RATED, 240V~, SP



Code	Description	HSN	MRP	PKG
90013	10AX 1 Way Switch, 1M	8536	105	20
90016	10AX 2 Way Switch, 1M	8536	147	20
90019	10AX 1 Way Switch With Indicator, 1M	8536	150	20
90022	10AX 1 Way Switch With Fan Mark, 1M	8536	144	20
90025	10AX 1 Way Switch With Light Mark, 1M	8536	144	20
90028	10A Bell Push Switch, 1M	8536	148	20
90031	10A Bell Push Switch With Indicator, 1M	8536	168	20
90034	10AX 1 Way Switch Large, 2M	8536	152	10
90037	10AX 2 Way Switch Large, 2M	8536	173	10
90040	10AX 1 Way Switch With Indicator Large, 2M	8536	173	10
90043	10A Bell Push Switch Large, 2M	8536	168	10
90046	10A Bell Push Switch With Indicator Large, 2M	8536	194	10

SWITCHES 20A RATED, 240V~, SP



Code	Description	HSN	MRP	PKG
90058	20A 1 Way Switch, 1M	8536	174	20
90061	20A 2 Way Switch, 1M	8536	194	20
90064	20A 1 Way Switch With Indicator, 1M	8536	199	20
90067	20A 1 Way Switch Large, 2M	8536	197	10
90070	20A 2 Way Switch Large, 2M	8536	219	10
90073	20A 1 Way Switch With Indicator Large, 2M	8536	231	10

POWER SWITCHES, 240V~



Code	Description	HSN	MRP	PKG
90085	25A S.P.1 Way Switch With Indicator, 1M	8536	250	20
90088	32A D.P. Main Switch With Indicator, 2M	8536	323	10

SOCKETS 6A / 10A / 13A / 20A, 240V~

Code	Description	HSN	MRP	PKG
90100	6A 2 Pin URO Socket, 1M	8536	122	20
90114	6A, 2 Pin Round Socket (with Shutter), ISI, 2M	8536	122	20
90106	6A Multi Socket For 2 and 3 Pin Plug, 2M	8536	168	10
90109	10A/20A Twin Socket, 2M	8536	268	10
90110	6A/16A Twin Socket, 2M, ISI, 2M	8536	296	10
90112	6A/10A/13A Combi Socket for all types of Pins, 2M	8536	294	10
90018	10A, 3 Pin Socket, ISI, 2M	8536	162	10

MOTOR STARTER SWITCH SINGLE PHASE, 240V~

Code	Description	HSN	MRP	PKG
90154	20A Motor Starter Switch, 2M	8536	554	10
90157	25A Motor Starter Switch, 2M	8536	554	10

FAN REGULATORS & DIMMERS, 240V~, 50Hz

Code	Description	HSN	MRP	PKG
90166	Fan Step Regulator Tiny EME 100W, ISI, 1M	8414	431	10
90172	Fan Step Regulator 100W, ISI, 2M	8414	583	10
91865	High speed fan Step regulator 100W, 2M	8414	602	10
90175	Mini 450 W Dimmer, 1M	8543	450	10
90178	Dimmer 650 W (For Incandescent Lamp), 2M	8543	612	10
90181	Dimmer 1000 W (For Incandescent Lamp), 2M	8543	807	10

* 16A,20A,25A Switch not suggested for geyser load. Instead Motor Starter must be used.

SUPPORT MODULE

Code	Description	HSN	MRP	PKG
90217	Telephone Jack RJ11 Single With Shutter, 1M	8536	141	20
91859	RJ45 Computer Socket Cat 6, 1M	8536	527	10
91856	RJ45 Computer Socket Cat 5e, 1M	8536	459	10
90220	Telephone Jack RJ11 Double W/O Shutter, 1M	8536	203	20
90229	Adaptor only For At &T / Lucent Amps Avaya Cat5, 1M	8536	149	10
91862	RJ45 Receptor, 1M	8536	140	10
90265	Adaptor For At & T / Lucent Cat 6 With Shutter, 1M	8536	154	10
90226	Computer / Modem Jack RJ45 With Shutter, 2M	8536	263	10
90232	Computer / Modem Jack Cat 5 With Shutter, 2M	8536	1159	10
90268	Computer Jack Cat 6 For At &T/ Lucent, 2M	8536	1292	10
90241	Fuse Unit For 16A Or 10A, 1M	8536	154	20
90205	Cord Outlet With Grip, 1M	8536	119	20
90208	TV Antena Outlet, 1M	8536	141	20
90250	Bell Indicator, 1M	8536	277	10
90244	Neon Indicator (Red), 1M	8531	100	10
90235	Blank Plate Single, 1M	8538	30	20
90271	Buzzer, 2M	8531	179	10
90148	1000mA,5VDC, USB Charger, 1M	8536	919	10
90281	2500mA,5VDC, USB Charger, 2M (CRS Certified)	8536	1470	10
90282	2100mA,5VDC, USB Charger, 1M (CRS Certified)	8536	872	10
90256	PIR Sensor (Wall Mounting), 12A,240~,.50Hz	8536	2996	4
90259	Compact Speake 3.w rms	8536	414	10
90223	Volume Controller	8536	196	10
90253	Down Light / Foot Light (LED - White) With Variable Shutter Regulates Light Ouput (3 module white cool day light)	8414	531	10

HOTEL & HOSPITALITY RANGE

90637	Indicator marked Do Not DISTURB Indicator marked MAKE MY ROOM Bell Push (To operate from outside the room) + Switch marked Do Not DISTURB Switch marked MAKE MY ROOM (To operate from inside the room)	8536	1227	5
90289	32A D.P. Switch Operate by Key Ring Tag PC (With Frame & Front Plate) 2 module (complete Unit)	8536	648	5
90202	20A 30 Seconds Time Delay Electronics Key Card Unit (Without frame & Plate) 3 module (Supplied without card)	8536	1841	5
90298	Shaver Socket With Transformer 110/240V (with mounting frame & front plate) 4 module	8536	1975	5
90267	3.5mm Audio Jack	8536	920	10





TERMS AND CONDITIONS

- 1) All prices are subject to the general terms and conditions of our business.
- 2) MRP is including all Taxes.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884
Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

Dealer Stamp