



by **Panasonic**

WIRES

Load Lega **Leader**



Anchor wire, no fire!

REACH
Compliant

RoHS
Compliant

HSR
Compliant

LP 78- 25.05.2026 - Project

Advance FR | EFFR | FR-LSH | Twin Cable | MCC | 3CF Submersible | Telephone | LAN | Co-axial | Speaker Cable | CCTV

ISO 9001:2015
CERTIFIED COMPANY

Cu International Copper
Association India
Copper Alliance



IS : 694
CIS : NO. 110963
CIS : NO. 110967



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-27391	5126	6
1.00	P-27392	6800	6
1.50	P-27393	9980	6
2.50	P-27394	16030	4
4.00	P-27395	23380	4
6.00	P-27396	35340	3
10.00	P2-27448	60745	1
16.00	P2-27459	96690	1

Nominal Area of Conductor	Advance - EFR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-96181	4970	6
1.00	P-96182	6440	6
1.50	P-96183	9500	6
2.50	P-96184	15350	4
4.00	P-96185	22795	4
6.00	P-96186	34355	3



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	FR-LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	P2-27506	7570	6
1.50	P2-27517	11045	6
2.50	P2-27528	17530	4
4.00	P2-27539	25500	4
6.00	P2-27540	40070	3
10.00	P2-27550	65475	1
16.00	P2-27572	105225	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 180 M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-96620	7188	6
1.50	P-96621	10470	6
2.50	P-96622	16640	4
4.00	P-96623	24160	4
6.00	P-96624	37920	3



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 90 M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
10.00	27448	27270	1
16.00	27459	43405	1
25.00	27460	68845	1
35.00	93256	94300	1
50.00	27475	134690	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
10.00	27550	29280	1
16.00	27572	47055	1
25.00	27357	78670	1
35.00	93259	111465	1

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
10.00	96625	30947	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE

Single Core Flexible Cable - 100 M

Sq. mm	Code	LP (₹)	PKG
0.50	28758	1629	12



HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 200M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-27392C2	7164	8
1.50	P-27393C2	10563	6
2.50	P-27394C2	17042	4
4.00	P-27395C2	25326	3
6.00	P-27396C2	38166	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	P-27506C2	8385	8
1.50	P-27517C2	12280	6
2.50	P-27528C2	19465	4
4.00	P-27539C2	28315	3
6.00	P-27540C2	44495	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 180M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-28600C2	7845	8
1.50	P-96621C2	11010	6
2.50	P-96622C2	17550	4
4.00	P-96623C2	27490	3
6.00	P-28644C2	41420	3



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
10.00	27448C2	30390	1
16.00	27459C2	48375	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
10.00	27550C2	32725	1
16.00	27572C2	52570	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
10.00	96625C2	33710	1

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR)

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93655BK-1	4490	1	93658BK-3	13470	1
0.75	93370BK-1	5930	1	93388BK-3	17790	1
1.00	93373BK-1	7245	1	93391BK-3	21735	1
1.50	93376BK-1	9375	1	93394BK-3	28125	1
2.50	93379BK-1	15100	1	93397BK-3	45300	1
4.00	93382BK-1	22955	1	93400BK-3	68865	1
6.00	93385BK-1	33800	1	93403BK-3	101400	1
10.00	93386BK-1	55970	1	-	-	-
16.00	93387BK-1	88330	1	-	-	-
25.00	93388BK-1	147115	1	-	-	-

Nominal Area of Conductor	3 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93637BK-1	5890	1	93643BK-3	17670	1
0.75	93346BK-1	7745	1	93352BK-3	23235	1
1.00	93349BK-1	9655	1	93355BK-3	28965	1
1.50	93145BK-1	12900	1	93145BK-3	38700	1
2.50	93148BK-1	20555	1	93148BK-3	61665	1
4.00	93151BK-1	32505	1	93151BK-3	97515	1
6.00	93154BK-1	48360	1	93154BK-3	145080	1
10.00	93155BK-1	82085	1	-	-	-
16.00	93156BK-1	128990	1	-	-	-
25.00	93157BK-1	212680	1	-	-	-

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR)

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93667BK-1	7310	1	93670BK-3	21930	1
0.75	93472BK-1	10110	1	93490BK-3	30330	1
1.00	93475BK-1	12365	1	93493BK-3	37095	1
1.50	93478BK-1	16970	1	93496BK-3	50910	1
2.50	93481BK-1	26895	1	93499BK-3	80685	1
4.00	93484BK-1	41815	1	93502BK-3	125445	1
6.00	93487BK-1	61035	1	93505BK-3	183105	1
10.00	96156BK-1	105470	1	96156BK-3	324015	1
16.00	96157BK-1	175085	1	96157BK-3	525255	1
25.00	93563BK-1	277175	1	-	-	-

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93649BK-1	5565	1	93652BK-3	16695	1
0.75	93406BK-1	7340	1	93424BK-3	22020	1
1.00	93409BK-1	8560	1	93427BK-3	25680	1
1.50	93412BK-1	10870	1	93430BK-3	32610	1
2.50	93415BK-1	16970	1	93433BK-3	50910	1
4.00	93418BK-1	25510	1	93436BK-3	76530	1
6.00	93421BK-1	41465	1	93439BK-3	124395	1
10.00	934210BK-1	67415	1	-	-	-
16.00	934216BK-1	103130	1	-	-	-
25.00	934225BK-1	159765	1	-	-	-

Nominal Area of Conductor	3 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93640BK-1	7955	1	93646BK-3	23865	1
0.75	93673BK-1	9125	1	93679BK-3	27375	1
1.00	93676BK-1	11140	1	93682BK-3	33420	1
1.50	93193BK-1	14750	1	93193BK-3	44250	1
2.50	93196BK-1	23855	1	93196BK-3	71565	1
4.00	93199BK-1	37170	1	93199BK-3	111510	1
6.00	93202BK-1	56990	1	93202BK-3	170970	1
10.00	934310BK-1	98895	1	-	-	-
16.00	934316BK-1	159430	1	-	-	-
25.00	934325BK-1	243760	1	-	-	-



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93661BK-1	8615	1	93664BK-3	25845	1
0.75	93508BK-1	11435	1	93526BK-3	34305	1
1.00	93511BK-1	14185	1	93529BK-3	42555	1
1.50	93514BK-1	19385	1	93532BK-3	58155	1
2.50	93517BK-1	30650	1	93535BK-3	91950	1
4.00	93520BK-1	47710	1	93538BK-3	143130	1
6.00	93523BK-1	73510	1	93541BK-3	220530	1
10.00	934410BK-1	121485	1	-	-	-
16.00	934416BK-1	201680	1	-	-	-
25.00	934425BK-1	313440	1	-	-	-

Industrial & Irrigation Cable



HSN CODE : 8544

3 CORE FLAT SUBMERSIBLE PVC INSULATED & SHEATHED CABLE

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15	139.95	1
2.50	3CF25	219.55	1

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters in drum packing (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15500	139.95	1
2.50	3CF25500	219.55	1
4.00	3CF40	337.55	1
6.00	3CF60	503.90	1
10.00	3CF100	853.40	1
16.00	3CF160	1328.40	1

Nominal Area of Conductor	Material will be supplied in continuous length of 1000 meters in drum packing (+ / - 5% i.e. 950 to 1050 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF151000	139.95	1
2.50	3CF251000	219.55	1
4.00	3CF401000	337.55	1

Communication Cable



HSN CODE : 8544

TELEPHONE SWITCH BOARD CABLES - RATES PER 90 M COIL

Telephone Cable 0.40 mm				Telephone Cable 0.50 mm		
No. of Pair	Code	LP (₹)	PKG	Code	LP (₹)	PKG
1.00	28189	1086	6	28881	1418	6
2.00	28190	1772	10	28892	2428	6
3.00	28203	2627	6	28906	3554	6
4.00	28462	3243	6	28917	4698	6
5.00	28473	4032	4	28928	5837	4
6.00	28677	4848	4	28939	6862	4
8.00	28484	6561	2	28940	9193	2
10.00	28466	8137	2	28950	11176	2

CAT 6 LAN CABLE

ITEM	305 M		
	Code	LP (₹)	PKG
23 AWG UTP CAT 6 CABLE	28124GY	17875	1

RG-6 CO-AXIAL CABLE

ITEM	305 M			100 M		
	Code	LP (₹)	PKG	Code	LP (₹)	PKG
CO-AXIAL	RG6CU305	11144	1	RG6CU100	3567	6
	RG6CCS305	7039		RG6CCS100	2264	

CCTV CABLE

Code	CCTV CABLE 90 M	LP (₹)	PKG
CT31CU90	3+1 COPPER	5663	4
CT41CU90	4+1 COPPER	6355	

SPEAKER CABLE - TRANSPARENT PVC INSULATED WITH RED STRIP

Code	SPEAKER CABLE 90 M	LP (₹)	PKG
SC0P5090	SPEAKER CABLE 0.50 SQ.MM (TRANSPARENT)	2575	12
SC0P7590	SPEAKER CABLE 0.75 SQ.MM (TRANSPARENT)	3745	12
SC1P0090	SPEAKER CABLE 1.00 SQ.MM (TRANSPARENT)	4620	8
SC1P5090	SPEAKER CABLE 1.50 SQ.MM (TRANSPARENT)	6900	6
SC2P0090	SPEAKER CABLE 2.00 SQ.MM (TRANSPARENT)	10750	5
SC2P5090	SPEAKER CABLE 2.50 SQ.MM (TRANSPARENT)	11505	5



TERMS AND CONDITIONS

- 1) The List Prices are exclusive of GST.
- 2) Prices are subject to change without prior notice.
- 3) This price list supersedes all our previous price lists.
- 4) If any dispute should arise it will be subject to Thane jurisdiction.
- 5) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein. Current details should therefore be checked with the Company.

Disclaimer :Information given herein is in good faith. Product images shown are for representation purpose only.
ANCHOR shall not be liable for any damages arising out of incorrect use.

Panasonic Life Solutions India Pvt. Ltd.,

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884, Customer Care no.: 022-41304130 | WhatsApp: 9136028606 |
Email: wecare@in.panasonic.com | www.isin.panasonic.com

Registered Office : 12th Floor, Ambience Tower, Ambience Island, NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp