




by **Panasonic**

WIRES

Load Lega **Leader**



LP 80- 28.08.2026 - Project


Advance FR | EFFR | FR-LSH | Twin Cable | MCC | 3CF Submersible | Telephone | LAN | Co-axial | Speaker Cable | CCTV

ISO 9001:2015
CERTIFIED COMPANY

Cu International Copper
Association India
Copper Alliance



IS : 694
OM/L NO : T10063
OM/L NO : T50707



HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-27391	5407	6
1.00	P-27392	7171	6
1.50	P-27393	10529	6
2.50	P-27394	16904	4
4.00	P-27395	24667	4
6.00	P-27396	37278	3
10.00	P2-27448	64078	1
16.00	P2-27459	101978	1

Nominal Area of Conductor	Advance - EFR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-96181	5244	6
1.00	P-96182	6791	6
1.50	P-96183	10018	6
2.50	P-96184	16189	4
4.00	P-96185	24044	4
6.00	P-96186	36233	3



100%
Electrolytic
Copper

101%
Conductivity

100%
Bunched

60%
Extra
Annealing

30%
Oxygen
Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	FR-LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	P2-27506	8004	6
1.50	P2-27517	11678	6
2.50	P2-27528	18535	4
4.00	P2-27539	27028	4
6.00	P2-27540	42366	3
10.00	P2-27550	69226	1
16.00	P2-27572	111253	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 180 M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-96620	7599	6
1.50	P-96621	11069	6
2.50	P-96622	17593	4
4.00	P-96623	25544	4
6.00	P-96624	40093	3



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 90 M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
10.00	27448	28835	1
16.00	27459	45890	1
25.00	27460	72790	1
35.00	93256	99705	1
50.00	27475	142410	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
10.00	27550	30955	1
16.00	27572	49750	1
25.00	27357	83180	1
35.00	93259	117855	1

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
10.00	96625	32720	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE

Single Core Flexible Cable - 100 M

Sq. mm	Code	LP (₹)	PKG
0.50	28758	1722	12



100% Electrolytic Copper
101% Conductivity
100% Bunched
60% Extra Annealing
30% Oxygen Index

HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 200M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-27392C2	7575	8
1.50	P-27393C2	11168	6
2.50	P-27394C2	18019	4
4.00	P-27395C2	26777	3
6.00	P-27396C2	40352	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	P-27506C2	8865	8
1.50	P-27517C2	12983	6
2.50	P-27528C2	20580	4
4.00	P-27539C2	29937	3
6.00	P-27540C2	47044	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 180M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-28600C2	8295	8
1.50	P-96621C2	11641	6
2.50	P-96622C2	18555	4
4.00	P-96623C2	29065	3
6.00	P-28644C2	43794	3



HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
10.00	27448C2	32131	1
16.00	27459C2	51147	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
10.00	27550C2	34600	1
16.00	27572C2	55582	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
10.00	96625C2	35641	1

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR)

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93655BK-1	4774	1	93658BK-3	14322	1
0.75	93370BK-1	6309	1	93388BK-3	18927	1
1.00	93373BK-1	7704	1	93391BK-3	23112	1
1.50	93376BK-1	9970	1	93394BK-3	29910	1
2.50	93379BK-1	16058	1	93397BK-3	48174	1
4.00	93382BK-1	24410	1	93400BK-3	73230	1
6.00	93385BK-1	35945	1	93403BK-3	107835	1
10.00	93386BK-1	59525	1	-	-	-
16.00	93387BK-1	93935	1	-	-	-
25.00	93388BK-1	156450	1	-	-	-

Nominal Area of Conductor	3 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93637BK-1	6262	1	93643BK-3	18786	1
0.75	93346BK-1	8235	1	93352BK-3	24705	1
1.00	93349BK-1	10269	1	93355BK-3	30807	1
1.50	93145BK-1	13720	1	93145BK-3	41160	1
2.50	93148BK-1	21860	1	93148BK-3	65580	1
4.00	93151BK-1	34567	1	93151BK-3	103701	1
6.00	93154BK-1	51428	1	93154BK-3	154284	1
10.00	93155BK-1	87298	1	-	-	-
16.00	93156BK-1	137175	1	-	-	-
25.00	93157BK-1	226178	1	-	-	-

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR)

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93667BK-1	7777	1	93670BK-3	23331	1
0.75	93472BK-1	10753	1	93490BK-3	32259	1
1.00	93475BK-1	13148	1	93493BK-3	39444	1
1.50	93478BK-1	18045	1	93496BK-3	54135	1
2.50	93481BK-1	28603	1	93499BK-3	85809	1
4.00	93484BK-1	44470	1	93502BK-3	133410	1
6.00	93487BK-1	64911	1	93505BK-3	194733	1
10.00	96156BK-1	112165	1	96156BK-3	344580	1
16.00	96157BK-1	186200	1	96157BK-3	558600	1
25.00	93563BK-1	294770	1	-	-	-


ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93649BK-1	5917	1	93652BK-3	17751	1
0.75	93406BK-1	7807	1	93424BK-3	23421	1
1.00	93409BK-1	9105	1	93427BK-3	27315	1
1.50	93412BK-1	11562	1	93430BK-3	34686	1
2.50	93415BK-1	18045	1	93433BK-3	54135	1
4.00	93418BK-1	27130	1	93436BK-3	81390	1
6.00	93421BK-1	44100	1	93439BK-3	132300	1
10.00	934210BK-1	71690	1	-	-	-
16.00	934216BK-1	109675	1	-	-	-
25.00	934225BK-1	169905	1	-	-	-

Nominal Area of Conductor	3 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93640BK-1	8461	1	93646BK-3	25383	1
0.75	93673BK-1	9703	1	93679BK-3	29109	1
1.00	93676BK-1	11845	1	93682BK-3	35535	1
1.50	93193BK-1	15687	1	93193BK-3	47061	1
2.50	93196BK-1	25370	1	93196BK-3	76110	1
4.00	93199BK-1	39530	1	93199BK-3	118590	1
6.00	93202BK-1	60605	1	93202BK-3	181815	1
10.00	934310BK-1	105170	1	-	-	-
16.00	934316BK-1	169545	1	-	-	-
25.00	934325BK-1	259230	1	-	-	-



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93661BK-1	9162	1	93664BK-3	27486	1
0.75	93508BK-1	12159	1	93526BK-3	36477	1
1.00	93511BK-1	15085	1	93529BK-3	45255	1
1.50	93514BK-1	20615	1	93532BK-3	61845	1
2.50	93517BK-1	32595	1	93535BK-3	97785	1
4.00	93520BK-1	50740	1	93538BK-3	152220	1
6.00	93523BK-1	78175	1	93541BK-3	234525	1
10.00	934410BK-1	129200	1	-	-	-
16.00	934416BK-1	214480	1	-	-	-
25.00	934425BK-1	333340	1	-	-	-



HSN CODE : 8544

3 CORE FLAT SUBMERSIBLE PVC INSULATED & SHEATHED CABLE

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15	148.80	1
2.50	3CF25	233.50	1

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters in drum packing (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15500	148.80	1
2.50	3CF25500	233.50	1
4.00	3CF40	358.95	1
6.00	3CF60	535.90	1
10.00	3CF100	907.60	1
16.00	3CF160	1412.70	1

Nominal Area of Conductor	Material will be supplied in continuous length of 1000 meters in drum packing (+ / - 5% i.e. 950 to 1050 meter).		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF151000	148.80	1
2.50	3CF251000	233.50	1
4.00	3CF401000	358.95	1



HSN CODE : 8544

TELEPHONE SWITCH BOARD CABLES - RATES PER 90 M COIL

Telephone Cable 0.40 mm				Telephone Cable 0.50 mm		
No. of Pair	Code	LP (₹)	PKG	Code	LP (₹)	PKG
1.00	28189	1146	6	28881	1497	6
2.00	28190	1870	10	28892	2564	6
3.00	28203	2774	6	28906	3752	6
4.00	28462	3425	6	28917	4959	6
5.00	28473	4259	4	28928	6162	4
6.00	28677	5120	4	28939	7246	4
8.00	28484	6927	2	28940	9708	2
10.00	28466	8590	2	28950	11799	2

CAT 6 LAN CABLE

ITEM	305 M		
	Code	LP (₹)	PKG
23 AWG UTP CAT 6 CABLE	28124GY	18870	1

RG-6 CO-AXIAL CABLE

ITEM	305 M			100 M		
	Code	LP (₹)	PKG	Code	LP (₹)	PKG
CO-AXIAL	RG6CU305	11768	1	RG6CU100	3765	6
	RG6CCS305	7430		RG6CCS100	2390	

CCTV CABLE

Code	CCTV CABLE 90 M	LP (₹)	PKG
CT31CU90	3+1 COPPER	5979	4
CT41CU90	4+1 COPPER	6710	

SPEAKER CABLE - TRANSPARENT PVC INSULATED WITH RED STRIP

Code	SPEAKER CABLE 90 M	LP (₹)	PKG
SC0P5090	SPEAKER CABLE 0.50 SQ.MM (TRANSPARENT)	2719	12
SC0P7590	SPEAKER CABLE 0.75 SQ.MM (TRANSPARENT)	3954	12
SC1P0090	SPEAKER CABLE 1.00 SQ.MM (TRANSPARENT)	4877	8
SC1P5090	SPEAKER CABLE 1.50 SQ.MM (TRANSPARENT)	7287	6
SC2P0090	SPEAKER CABLE 2.00 SQ.MM (TRANSPARENT)	11350	5
SC2P5090	SPEAKER CABLE 2.50 SQ.MM (TRANSPARENT)	12145	5



TERMS AND CONDITIONS

- 1) The List Prices are exclusive of GST.
- 2) Prices are subject to change without prior notice.
- 3) This price list supersedes all our previous price lists.
- 4) If any dispute should arise it will be subject to Thane jurisdiction.
- 5) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein. Current details should therefore be checked with the Company.

Disclaimer :Information given herein is in good faith. Product images shown are for representation purpose only.
ANCHOR shall not be liable for any damages arising out of incorrect use.

Panasonic Life Solutions India Pvt. Ltd.,

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884, Customer Care no.: 022-41304130 | WhatsApp: 9136028606 |
Email: wecare@in.panasonic.com | www.isin.panasonic.com

Registered Office : 12th Floor, Ambience Tower, Ambience Island, NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp