

Wire Artery



PRICELIST - 64

Perfect Partner for your Wires & Cables

Established in 1963, Anchor Electricals Pvt. Ltd. operates as a wholly owned subsidiary of Panasonic Corporation, Japan, since 2007. It is a vital member of Panasonic Eco Solutions Company and one of the fastest growing Panasonic Corporation Companies in India, with the core business of manufacturing & marketing electrical construction materials.

Anchor is a leading manufacturer of electrical products for domestic and commercial use. Its merger with Panasonic has brought in tremendous synergy in Production, Distribution and Sales, with its biggest strengths being well-developed sales channels, thorough understanding of the Indian electrical market and skilled workforce in all the domains.

Anchor's production aligns with the requirements of ISO 9001: 2008 and has 8 facilities spread through the four regions of Daman, Gujarat, Haridwar and Roorkee industrial areas. With a dominant market presence in switches and accessories business, residential wires and cables, it is eyeing new opportunities to scale up its lighting, switchgear and indoor air quality business that comprises of ceiling, ventilation fans and other air moving equipments.

Aligned with aggressive expansion plans for all verticals, the company's key objective is to make manufacture innovative, eco-friendly energy-saving world-class products making user's lives simpler, safer and comfortable. The new product line-up of Anchor Conduit is one such extension to our robust product portfolio.

Anchor Rigid PVC Conduits and Accessories are manufactured from a specially formulated unplasticised polyvinyl chloride (UPVC) to meet stringent Indian standards. Our products are made of Extra Super High Impact materials which make them safe to be use in harsh environments. The products are manufactured in accordance with **IS:9537 (Part III)** for PVC conduits and **IS: 3419** for junction boxes.

Applications

- Channelising concealed and surface wiring.
- Telecommunication and cable ducting.




Dimensions of Round Conduits [as per IS:9537 (Part III)]

Nominal Size mm	Outside Diameter mm	Tolerance on Outside Diameter mm	Inside Diameter (Min) mm		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2

RIGID PVC CONDUITS (ROUND)

(HSN: 39172310)

 IS:9537  PART III


Product Code		Size OD (mm)	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
Ivory	Black				

LMS (LIGHT MECHANICAL STRESS)

CP19SLIV	CP19SLBL	19*	109.00	50	5450
CP20SLIV	CP20SLBL	20	123.00	50	6150
CP25SLIV	CP25SLBL	25	170.00	50	8500
CP32SLIV	CP32SLBL	32	247.00	25	6175
CP40SLIV	-	40	397.00	15	5955
CP50SLIV	-	50	579.00	15	8685

MMS (MEDIUM MECHANICAL STRESS)

CP19SMIV	CP19SMBL	19*	132.00	50	6600
CP20SMIV	CP20SMBL	20	135.00	50	6750
CP25SMIV	CP25SMBL	25	189.00	50	9450
CP32SMIV	CP32SMBL	32	318.00	25	7950
CP40SMIV	-	40	448.00	15	6720
CP50SMIV	-	50	683.00	15	10245

HMS (HEAVY MECHANICAL STRESS)

CP19SHIV	CP19SHBL	19*	167.00	50	8350
CP20SHIV	CP20SHBL	20	190.00	50	9500
CP25SHIV	CP25SHBL	25	237.00	50	11850
CP32SHIV	CP32SHBL	32	415.00	25	10375
CP40SHIV	-	40	536.00	15	8040
CP50SHIV	-	50	802.00	15	12030



Product Code		Size OD (mm)	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
Ivory	Black				

LMS (LIGHT MECHANICAL STRESS)



CP20SNLIV	-	20	107.00	50	5350
CP25SNLIV	-	25	145.00	50	7250

MMS (MEDIUM MECHANICAL STRESS)

CP20SNMIV	-	20	132.00	50	6600
CP25SNMIV	-	25	176.00	50	8800

HMS (HEAVY MECHANICAL STRESS)

CP20SNHIV	-	20	175.00	50	8750
CP25SNHIV	-	25	221.00	50	11050

Conduit Colour	Packaging Marking Colour		
Black 	LMS 	MMS 	HMS 
Ivory 			

- *Special size not available with ISI marking.
- Conduits are available in Grey color on MTO basis for FTL requirements Only.
- Special packaging of 40N for 20 mm and 25N for 25mm is available on separate Item code for Delhi & NCR, Jammu & Kashmir, UP & Punjab.
- Minimum length of conduit pipe per peice = 3mtrs *
- To be stored in neat & dry indoor place. Prevent the exposure to dust, moisture & sunlight.

CIRCULAR BOXES WITH LID - SURFACE

(HSN: 39174000)

IS:3419 

CIRCULAR SURFACE BOXES WITH LID



TERMINAL (1 WAY)



ANGLE (2 WAY)



THROUGH (2 WAY)



TEE (3 WAY)



INTERSECTION (4 WAY)

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

TERMINAL (1 WAY)

CA20CBLS1IV	CA20CBLS1BL	20	39.00	25	975	450
CA25CBLS1IV	CA25CBLS1BL	25	49.50	20	990	360

ANGLE (2 WAY)

CA20CBLS2AIV	CA20CBLS2ABL	20	42.50	25	1062.5	450
CA25CBLS2AIV	CA25CBLS2ABL	25	50.00	20	1000	360

THROUGH (2 WAY)

CA20CBLS2TIV	CA20CBLS2TBL	20	42.50	25	1062.5	450
CA25CBLS2TIV	CA25CBLS2TBL	25	50.00	20	1000	360

TEE (3 WAY)

CA20CBLS3IV	CA20CBLS3BL	20	45.00	25	1125	400
CA25CBLS3IV	CA25CBLS3BL	25	54.50	15	817.5	270

INTERSECTION (4 WAY)

CA20CBLS4IV	CA20CBLS4BL	20	49.00	25	1225	400
CA25CBLS4IV	CA25CBLS4BL	25	62.00	15	930	240

NOA

CIRCULAR SURFACE BOXES WITH LID



TERMINAL (1 WAY)



THROUGH (2 WAY)



TEE (3 WAY)



INTERSECTION (4 WAY)

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

TERMINAL (1 WAY)

CA20CBLNS1IV	-	20	32.00	30	960	540
CA25CBLNS1IV	-	25	39.50	24	948	432

THROUGH (2 WAY)

CA20CBLNS2TIV	-	20	35.50	30	1065	540
CA25CBLNS2TIV	-	25	40.50	20	810	360

TEE (3 WAY)

CA20CBLNS3IV	-	20	39.50	30	1185	480
CA25CBLNS3IV	-	25	44.50	24	1068	384

INTERSECTION (4 WAY)

CA20CBLNS4IV	-	20	40.50	30	1215	480
CA25CBLNS4IV	-	25	46.50	20	930	320

CIRCULAR BOXES WITH LID - DEEP

(HSN: 39174000)

 IS:3419 

CIRCULAR DEEP BOXES WITH LID



TERMINAL (1 WAY)



ANGLE (2 WAY)



THROUGH (2 WAY)



TEE (3 WAY)



INTERSECTION (4 WAY)

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

TERMINAL (1 WAY)

CA20CBLD1IV	CA20CBLD1BL	20	61.00	10	610	180
CA25CBLD1IV	CA25CBLD1BL	25	68.50	10	685	180
CA32CBLD1IV	-	32*	75.00	10	750	180

ANGLE (2 WAY)

CA20CBLD2AIV	CA20CBLD2ABL	20	62.00	10	620	180
CA25CBLD2AIV	CA25CBLD2ABL	25	69.50	10	695	180
CA32CBLD2AIV	-	32*	85.00	10	850	180

THROUGH (2 WAY)

CA20CBLD2TIV	CA20CBLD2TBL	20	62.00	10	620	180
CA25CBLD2TIV	CA25CBLD2TBL	25	69.50	10	695	180
CA32CBLD2TIV	-	32*	85.00	10	850	180

TEE (3 WAY)

CA20CBLD3IV	CA20CBLD3BL	20	66.00	10	660	180
CA25CBLD3IV	CA25CBLD3BL	25	83.00	10	830	160
CA32CBLD3IV	-	32*	88.00	10	880	160

INTERSECTION (4 WAY)

CA20CBLD4IV	CA20CBLD4BL	20	69.50	10	695	180
CA25CBLD4IV	CA25CBLD4BL	25	87.00	10	870	160
CA32CBLD4IV	-	32*	90.50	10	905	160

*Special size not available with ISI marking.

NOA

CIRCULAR DEEP BOXES WITH LID



TERMINAL (1 WAY)



THROUGH (2 WAY)



INTERSECTION (4 WAY)



TEE (3 WAY)

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

TERMINAL (1 WAY)

CA25CBLND1IV	-	25	63.00	18	1134	288
--------------	---	----	-------	----	------	-----

THROUGH (2 WAY)

CA20CBLND2TIV	-	20	62.00	16	992	256
CA25CBLND2TIV	-	25	63.00	16	1008	256

TEE (3 WAY)

CA25CBLND3IV	-	25	72.00	12	864	192
--------------	---	----	-------	----	-----	-----

INTERSECTION (4 WAY)

CA20CBLND4IV	-	20	66.00	12	792	192
CA25CBLND4IV	-	25	80.00	12	960	192

CONDUIT ACCESSORIES

(HSN: 39174000)



COUPLER (MODULDED)



TEE



ELBOW



SPACE BAR SADDLE



SLIP TYPE BEND

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

COUPLER (MOULDED)

CA20CPLIV	CA20CPLBL	20	9.00	200	1800	3200
CA25CPLIV	CA25CPLBL	25	9.50	100	950	1800
CA32CPLIV	-	32	19.00	60	1140	960
CA40CPLIV	-	40	33.00	35	1155	560
CA50CPLIV	-	50	56.00	15	840	240

TEE

CA20TEEIV	CA20TEEBL	20	19.00	100	1900	1600
CA25TEEIV	CA25TEEBL	25	24.50	50	1225	900

ELBOW

CA20EBWIV	CA20EBWBL	20	10.50	100	1050	1800
CA25EBWIV	CA25EBWBL	25	17.50	50	875	900

SPACE BAR SADDLE

CA20SBSIV	CA20SBSBL	20	10.50	150	1575	2700
CA25SBSIV	CA25SBSBL	25	14.50	150	2175	2400
CA32SBSIV	-	32	24.50	100	2450	1600

SLIP TYPE BEND NORMAL

CA19SLBIV	-	19	12.00	125	1500	750
CA20SLBIV	CA20SLBBL	20	14.50	100	1450	600
CA25SLBIV	CA25SLBBL	25	24.50	100	2450	400
CA25SLBL9IV	-	25	25.50	60	1530	240
CA32SLBIV	CA32SLBBL	32	62.00	40	2480	160
CA40SLBIV	-	40	122.00	25	3050	100
CA50SLBIV	-	50	171.00	10	1710	40

SLIP TYPE BEND LONG

CA20SLBLIV	-	20	20.00	70	1400	420
CA25SLBLIV	-	25	31.00	60	1860	240

SLIP TYPE BEND HEAVY

CA20SLBHIV	CA20SLBHBL	20	19.00	100	1900	600
CA25SLBHIV	CA25SLBHBL	25	27.00	100	2700	400

CONDUIT ACCESSORIES

(HSN: 39174000)



ROUND PLATE



FAN PLATE



LED BOX



METAL LED BOX



FAN BOX WITH ROD



FAN BOX WITH ROD
OCTAGONAL



METAL FAN BOX
WITH ROD



METAL FAN BOX WITH
ROD OCTAGONAL

Product Code	Colour	Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
--------------	--------	--------------	--------------------------------	------------------------------------	---	---

ROUND PLATE

CA4RPWH	White	108	19.00	140	2660	1680
CA5RPWH	White	127	24.50	80	1960	960

FAN PLATE

CA6FPWH	White	152	28.00	25	700	1000
---------	-------	-----	-------	----	-----	------

LED BOX

CALB25BL	Black	25	116.00	12	1392	96
----------	-------	----	--------	----	------	----

METAL LED BOX (HSN: 85381090)

CALBM25A	Metal	25	119.00	1	119	100
----------	-------	----	--------	---	-----	-----

FAN BOX WITH ROD (HSN: 85369030)

CAFBRIV	Ivory	20/25	242.00	2	484	32
CAFBR25IV	Ivory	25	242.00	2	484	32

FAN BOX WITH ROD OCTAGONAL (HSN: 85369030)

CAFBOR20ABL	Black	20	281.00	2	562	32
CAFBOR20BBL	Black	20	281.00	2	562	32
CAFBOR20CBL	Black	20	281.00	2	562	32
CAFBOR25ABL	Black	25	281.00	2	562	32
CAFBOR25BBL	Black	25	281.00	2	562	32
CAFBOR25CBL	Black	25	281.00	2	562	32



METAL FAN BOX WITH ROD (HSN: 85381090)

CAFBMR25A	Metal	25	191.00	1	191	50
CAFBO MR25B	Metal	25	182.00	1	182	60

PVC TRUNKING

(HSN: 39162019)

IS:14927  PART-2:2023



Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

PVC TRUNKING - CURVED

* TR2012CIV	-	20 x 12*	96.00	200	19200	-
# TR2512CIV	-	25 x 12	110.00	100	11000	-
# TR3212CIV	-	32 x 12	129.00	100	12900	-

PVC TRUNKING - Box

o TR3015BIV	-	30 X 15	119.00	100	11900	-
-------------	---	---------	--------	-----	-------	---

- Minimum length of PVC Trunking per peice = 2mtrs *
- *Special size not available with ISI marking.

PVC TRUNKING ACCESSORIES


(HSN: 39162019)



COUPLER



ELBOW



TEE



INTERNAL ANGLE



EXTERNAL ANGLE



SQUARE BOX

Product Code		Size OD (mm)	Unit Sale Price Rs. per number	Standard Packing Quantity (Number)	Maximum Retail Price of Standard Packing (Inclusive of all taxes) Rs.	Units in Master Packing (Number) Wholesale Pack
Ivory	Black					

COUPLER

TA32CCPLIV	-	32 x 12	9.00	100	900	3600
------------	---	---------	------	-----	-----	------

ELBOW

TA32CEBWIV	-	32 x 12	9.00	100	900	1700
------------	---	---------	------	-----	-----	------

PLUS (4 WAY)

TA32C4WAIV	-	32 x 12	9.50	60	570	1080
------------	---	---------	------	----	-----	------

TEE

TA32CTEEIV	-	32 x 12	9.00	50	450	1250
------------	---	---------	------	----	-----	------

INTERNAL ANGLE

TA32CINTIV	-	32 x 12	9.00	200	1800	3200
------------	---	---------	------	-----	------	------

EXTERNAL ANGLE

TA32CEXTIV	-	32 x 12	9.00	200	1800	3200
------------	---	---------	------	-----	------	------

SQUARE BOX

TA32CSQBIV	-	32 x 12	23.50	36	846	648
------------	---	---------	-------	----	-----	-----

TECHNICAL FEATURES & BENEFITS:

General Features

(a) Raw Material	PVC - K-67 for Conduits & K-57 for accessories
(b) Installation	Smooth finish from inside makes wire pulling easy
(c) Resistance to corrosion	Corrosion free material

Electrical Characteristics (As per IS 9537 Part III & IS 3419)

(a) Electric Strength	No breakdown observed at 2000V
(b) Insulation Resistance	Min 1000 MΩ

Mechanical Strength (As per IS 9537 Part III)

(a) Impact Resistance	No cracks visible
(b) Compression Resistance	Retains the original shape on the removal of the force
(c) Bending Strength	No cracks visible at 180° bending

Thermal Strength (As per IS 9537 Part III & IS 3419)

(a) Thermal Resistance	-5°C to + 60°C
(b) Resistance to Burning	Flame retardant (Flame die out within 30 Sec)

Environmental Strength (As per IS 3419)

(a) Resistance to Acid Solution	No deterioration
(b) Resistance to Alkaline Solution	No deterioration
(c) Resistance to Oil	No deterioration

General Terms & Conditions

- 1) Prices are in INR (₹).
- 2) All prices are subject to the general terms and conditions of our business.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.
- 7) The image that appears in the price list may differ from the actual product.

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel. 022 4222 8888 | Fax. 022 4222 8884
Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.isin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.



[www.facebook.com/
AnchorPanasonic](https://www.facebook.com/AnchorPanasonic)



[www.twitter.com/
AnchorPanasonic](https://www.twitter.com/AnchorPanasonic)



[https://in.linkedin.com/
company/anchor-panasonic](https://in.linkedin.com/company/anchor-panasonic)



[www.instagram.com/
anchorpanasonic/](https://www.instagram.com/anchorpanasonic/)