ANCHOR
by Panasonic

WIRES

Load Lega **Leader**



LP 81- 29.10.2026 - Project

Advance FR | EFFR | FR-LSH | Twin Cable | MCC | 3CF Submersible | Telephone | LAN | Co-axial | Speaker Cable | CCTV

ISO 9001:2015 CERTIFIED COMPANY

International Copper Association India
Copper Alliance

IS : 694
CM / L - NO : 7150963
CM / L - NO : 7567067

Building Wire



RoHS Compliant | HIR High Insulation Resistance | CE | ANTI TERMITE | ANTI RODENT Ingredients present

100% Electrolytic Copper | 101% Conductivity | 100% Bunched | 60% Extra Annealing | 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-27391	5542	6
1.00	P-27392	7351	6
1.50	P-27393	10789	6
2.50	P-27394	17322	4
4.00	P-27395	25284	4
6.00	P-27396	38213	3
10.00	P2-27448	65678	1
16.00	P2-27459	104522	1

Nominal Area of Conductor	Advance - EFFR		
Sq. mm	Code	LP (₹)	PKG
0.75	P-96181	5376	6
1.00	P-96182	6960	6
1.50	P-96183	10269	6
2.50	P-96184	16593	4
4.00	P-96185	24644	4
6.00	P-96186	37144	3

Building Wire



RoHS Compliant | HIR High Insulation Resistance | CE | STQC | ANTI TERMITE | ANTI RODENT

100% Electrolytic Copper | 101% Conductivity | 100% Bunched | 60% Extra Annealing | 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 200 M COIL

Nominal Area of Conductor	FR-LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	P2-27506	8204	6
1.50	P2-27517	11970	6
2.50	P2-27528	18998	4
4.00	P2-27539	27704	4
6.00	P2-27540	43425	3
10.00	P2-27550	70957	1
16.00	P2-27572	114034	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 180 M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
1.00	P-96620	7790	6
1.50	P-96621	11345	6
2.50	P-96622	18035	4
4.00	P-96623	26185	4
6.00	P-96624	41095	3

Building Wire



RoHS Compliant | HIR High Insulation Resistance | CE | STQC | ANTI TERMITE | ANTI RODENT

100% Electrolytic Copper | 101% Conductivity | 100% Bunched | 60% Extra Annealing | 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 90 M COIL

Advance - FR

Nominal Area of Conductor	Code	LP (₹)	PKG
Sq. mm			
10.00	27448	29555	1
16.00	27459	47035	1
25.00	27460	74610	1
35.00	93256	102200	1
50.00	27475	145970	1

FR - LSH

Nominal Area of Conductor	Code	LP (₹)	PKG
Sq. mm			
10.00	27550	31730	1
16.00	27572	50995	1
25.00	27357	85260	1
35.00	93259	120800	1

HFFR

Nominal Area of Conductor	Code	LP (₹)	PKG
Sq. mm			
10.00	96625	33540	1

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE

Single Core Flexible Cable - 100 M

Sq. mm	Code	LP (₹)	PKG
0.50	28758	1765	12

Building Wire



RoHS Compliant | HIR High Insulation Resistance | CE | STQC | ANTI TERMITE | ANTI RODENT

100% Electrolytic Copper | 101% Conductivity | 100% Bunched | 60% Extra Annealing | 30% Oxygen Index

HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 200M COIL

Advance - FR

Nominal Area of Conductor	Code	LP (₹)	PKG
1.00	P-27392C2	7765	8
1.50	P-27393C2	11445	6
2.50	P-27394C2	18470	4
4.00	P-27395C2	27445	3
6.00	P-27396C2	41360	1

FR - LSH

Nominal Area of Conductor	Code	LP (₹)	PKG
1.00	P-27506C2	9085	8
1.50	P-27517C2	13310	6
2.50	P-27528C2	21095	4
4.00	P-27539C2	30685	3
6.00	P-27540C2	48220	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 180M COIL

HFFR

Nominal Area of Conductor	Code	LP (₹)	PKG
1.00	P-28600C2	8502	8
1.50	P-96621C2	11930	6
2.50	P-96622C2	19020	4
4.00	P-96623C2	29790	3
6.00	P-28644C2	44890	3

Building Wire



RoHS Compliant | HIR High Insulation Resistance | CE | STQC | ANTI TERMITE | ANTI RODENT

100% Electrolytic Copper | 101% Conductivity | 100% Bunched | 60% Extra Annealing | 30% Oxygen Index

HSN CODE : 8544

1100 V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	Advance - FR		
Sq. mm	Code	LP (₹)	PKG
10.00	27448C2	32935	1
16.00	27459C2	52425	1

Nominal Area of Conductor	FR - LSH		
Sq. mm	Code	LP (₹)	PKG
10.00	27550C2	35465	1
16.00	27572C2	56970	1

1100 V HFFR INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR (class 2) - RATES 90M COIL

Nominal Area of Conductor	HFFR		
Sq. mm	Code	LP (₹)	PKG
10.00	96625C2	36530	1



Industrial Cable

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR) **HSN CODE : 8544**

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93655BK-1	4917	1	93658BK-3	14751	1
0.75	93370BK-1	6498	1	93388BK-3	19494	1
1.00	93373BK-1	7935	1	93391BK-3	23805	1
1.50	93376BK-1	10269	1	93394BK-3	30807	1
2.50	93379BK-1	16540	1	93397BK-3	49620	1
4.00	93382BK-1	25142	1	93400BK-3	75426	1
6.00	93385BK-1	37023	1	93403BK-3	111069	1
10.00	93386BK-1	61311	1	-	-	-
16.00	93387BK-1	96753	1	-	-	-
25.00	93388BK-1	161144	1	-	-	-

Nominal Area of Conductor	3 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93637BK-1	6450	1	93643BK-3	19350	1
0.75	93346BK-1	8482	1	93352BK-3	25446	1
1.00	93349BK-1	10577	1	93355BK-3	31731	1
1.50	93145BK-1	14132	1	93145BK-3	42396	1
2.50	93148BK-1	22516	1	93148BK-3	67548	1
4.00	93151BK-1	35604	1	93151BK-3	106812	1
6.00	93154BK-1	52971	1	93154BK-3	158913	1
10.00	93155BK-1	89917	1	-	-	-
16.00	93156BK-1	141290	1	-	-	-
25.00	93157BK-1	232963	1	-	-	-



Industrial Cable

ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR) **HSN CODE : 8544**

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93667BK-1	8010	1	93670BK-3	24030	1
0.75	93472BK-1	11076	1	93490BK-3	33228	1
1.00	93475BK-1	13542	1	93493BK-3	40626	1
1.50	93478BK-1	18586	1	93496BK-3	55758	1
2.50	93481BK-1	29461	1	93499BK-3	88383	1
4.00	93484BK-1	45804	1	93502BK-3	137412	1
6.00	93487BK-1	66858	1	93505BK-3	200574	1
10.00	96156BK-1	115530	1	96156BK-3	354917	1
16.00	96157BK-1	191786	1	96157BK-3	575358	1
25.00	93563BK-1	303613	1	-		-



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93649BK-1	6095	1	93652BK-3	18285	1
0.75	93406BK-1	8041	1	93424BK-3	24123	1
1.00	93409BK-1	9378	1	93427BK-3	28134	1
1.50	93412BK-1	11909	1	93430BK-3	35727	1
2.50	93415BK-1	18586	1	93433BK-3	55758	1
4.00	93418BK-1	27944	1	93436BK-3	83832	1
6.00	93421BK-1	45423	1	93439BK-3	136269	1
10.00	934210BK-1	73841	1	-	-	-
16.00	934216BK-1	112965	1	-	-	-
25.00	934225BK-1	175002	1	-	-	-

Nominal Area of Conductor	3 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93640BK-1	8715	1	93646BK-3	26145	1
0.75	93673BK-1	9994	1	93679BK-3	29982	1
1.00	93676BK-1	12200	1	93682BK-3	36600	1
1.50	93193BK-1	16158	1	93193BK-3	48474	1
2.50	93196BK-1	26131	1	93196BK-3	78393	1
4.00	93199BK-1	40716	1	93199BK-3	122148	1
6.00	93202BK-1	62423	1	93202BK-3	187269	1
10.00	934310BK-1	108325	1	-	-	-
16.00	934316BK-1	174631	1	-	-	-
25.00	934325BK-1	267007	1	-	-	-



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	4 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93661BK-1	9437	1	93664BK-3	28311	1
0.75	93508BK-1	12524	1	93526BK-3	37572	1
1.00	93511BK-1	15538	1	93529BK-3	46614	1
1.50	93514BK-1	21233	1	93532BK-3	63699	1
2.50	93517BK-1	33573	1	93535BK-3	100719	1
4.00	93520BK-1	52262	1	93538BK-3	156786	1
6.00	93523BK-1	80520	1	93541BK-3	241560	1
10.00	934410BK-1	133076	1	-	-	-
16.00	934416BK-1	220914	1	-	-	-
25.00	934425BK-1	343340	1	-	-	-



HSN CODE : 8544

3 CORE FLAT SUBMERSIBLE PVC INSULATED & SHEATHED CABLE

Nominal Area of Conductor	**Material will be supplied in continuous length of 500 meters (+ / - 5% i.e. 475 to 525 meter).**		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15	152.52	1
2.50	3CF25	239.34	1

Nominal Area of Conductor	**Material will be supplied in continuous length of 500 meters in drum packing (+ / - 5% i.e. 475 to 525 meter).**		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF15500	152.52	1
2.50	3CF25500	239.34	1
4.00	3CF40	367.92	1
6.00	3CF60	549.30	1
10.00	3CF100	930.29	1
16.00	3CF160	1448.02	1

Nominal Area of Conductor	**Material will be supplied in continuous length of 1000 meters in drum packing (+ / - 5% i.e. 950 to 1050 meter).**		
Sq.mm	Code	LP / Per Meter (₹)	PKG
1.50	3CF151000	152.52	1
2.50	3CF251000	239.34	1
4.00	3CF401000	367.92	1



Communication Cable

HSN CODE : 8544

TELEPHONE SWITCH BOARD CABLES - RATES PER 90 M COIL						
	Telephone Cable 0.40 mm			Telephone Cable 0.50 mm		
No. of Pair	Code	LP (₹)	PKG	Code	LP (₹)	PKG
1.00	28189	1175	6	28881	1534	6
2.00	28190	1917	10	28892	2628	6
3.00	28203	2843	6	28906	3845	6
4.00	28462	3510	6	28917	5083	6
5.00	28473	4365	4	28928	6315	4
6.00	28677	5250	4	28939	7430	4
8.00	28484	7100	2	28940	9950	2
10.00	28466	8805	2	28950	12095	2

CAT 6 LAN CABLE			
ITEM	305 M		
	Code	LP (₹)	PKG
23 AWG UTP CAT 6 CABLE	28124GY	19247	1

RG-6 CO-AXIAL CABLE						
ITEM	305 M			100 M		
	Code	LP (₹)	PKG	Code	LP (₹)	PKG
CO-AXIAL	RG6CU305	12003	1	RG6CU100	3840	6
	RG6CCS305	7579		RG6CCS100	2438	

CCTV CABLE			
Code	CCTV CABLE 90 M	LP (₹)	PKG
CT31CU90	3+1 COPPER	6099	4
CT41CU90	4+1 COPPER	6844	

SPEAKER CABLE - TRANSPARENT PVC INSULATED WITH RED STRIP			
Code	SPEAKER CABLE 90 M	LP (₹)	PKG
SC0P5090	SPEAKER CABLE 0.50 SQ.MM (TRANSPARENT)	2773	12
SC0P7590	SPEAKER CABLE 0.75 SQ.MM (TRANSPARENT)	4033	12
SC1P0090	SPEAKER CABLE 1.00 SQ.MM (TRANSPARENT)	4975	8
SC1P5090	SPEAKER CABLE 1.50 SQ.MM (TRANSPARENT)	7435	6
SC2P0090	SPEAKER CABLE 2.00 SQ.MM (TRANSPARENT)	11575	5
SC2P5090	SPEAKER CABLE 2.50 SQ.MM (TRANSPARENT)	12390	5

ANCHOR
by Panasonic

TERMS AND CONDITIONS

1) The List Prices are exclusive of GST.
2) Prices are subject to change without prior notice.
3) This price list supersedes all our previous price lists.
4) If any dispute should arise it will be subject to Thane jurisdiction.
5) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein. Current details should therefore be checked with the Company.

Disclaimer :Information given herein is in good faith. Product images shown are for representation purpose only.
ANCHOR shall not be liable for any damages arising out of incorrect use.

Panasonic Life Solutions India Pvt. Ltd.,
Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884, Customer Care no.: 022-41304130 | WhatsApp: 9136028606 |
Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office : 12th Floor, Ambience Tower, Ambience Island, NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp